

I N D E X.

- An ejus duo genera ibid.
Ejus descriptio ibid.
Phrynum 635, 1.
φυλλά κριθα 547, 1. 600, 1.
φυλλον vox plures habet significa-
tiones 190, 2. 597, 1.
φυλλον descriptio 870, 2.
An scabiosa sessilis ibid.
An stoebe ibid.
φυλλόφερον quid 3, 1.
φύκη quid 411, 2.
Quid denotet 414, 1.
φύκη & βέρνον an idem ibid.
Quomodo differunt ibid.
Phycus Marinus purpura præ-
stantior 403, 2.
Folio abrotani 413, 2.
Genera 412, 1.
Usus ibid.
Phyllon quid 1159, 1.
Theophrasti non est Dioscori-
dis 1160, 1. 2.
Est Mercurialis 1160, 2.
Phylli vires & descriptio 1153, 2.
Genera Mariticum & foemini-
ficum 1159, 1.
Descriptio utriusque ibid.
Genera in quibus differunt
1160, 1. 2.
Phyllon arrhegonon 1160, 1.
Phyllon telygonon an leucopo-
dium 1159, 2.
An semen ferat ibid.
Ejus semen 1160, 1.
Phillitis an scolopendrum Theo-
phrasti 1164, 2.
An asplenium 1165, 1.
An scolopendrium ibid.
An lingua cervina ibid.
Unde dicta ibid.
Est ceterach 1165, 2.
Ejus descriptio ibid.
Ubi Nascitur ibid.
Ejus folia scolopendrae sunt si-
mila ibid.
φυτέων quid 840, 2.
Phytema an scabiosa minor
ibid.
Ejus fructus descriptio ibid.
Unde dicta ibid.
φυσική quid 790, 2.
φυσική quid ibid.
Phtisis quomodo differt a di-
minutione 8, 2.
Phtorē descriptio 1141, 1.
Phtora an napellum Moysis
1142, 1.
Est lethale venenum 1131,
1.
Est sanguini inimicum ibid.
- Sanguis tollit ejus venenosita-
tem ibid.
Carnes non inficit ibid.
Ejus antidotum 1142, 1.
Picea 122, 2. 123, 1. 124, 2, 138,
2. 168, 2. 368, 2. 964, 2.
Est perpetuo folio 124, 2.
Quando transplantanda 88,
1.
An florem fert 129, 2.
Quando fructificat 130, 2.
Quando germinat 131, 2.
Quando floret 132, 2.
Cæsa non repullulat 370, 1.
Quando sterilescit 494, 2.
Navibus est apta 533, 2.
Deciso cacumine tota interit
505, 2.
In quibus differt a pino 158,
2.
In quibus differt ab abiete
171, 1.
Quomodo differt a larice 162,
2.
Piceę medulla 23, 2.
Folia 48, 2. 52, 2. 53, 1.
Descriptio 168, 2.
Humor 965, 2.
Usus ad quę 533, 2.
Materies quando cædenda
512, 2.
mixta vox de odore accipitur 168,
2. 817, 1.
Picris 854, 2.
Picris Theophrasti an cichorium
855, 2.
An lactucę genus 859, 2.
An hieracium prémorsa radi-
ce ibid.
Picros quid 168, 2. 817, 1.
Pigmentarius quis 1026, 2. 1027,
1.
Pigmentum seu fucus unde fit
1027, 1.
Pili muliebris suffitus vires 498,
2.
Pileus quid 145, 2.
Ejus discrimin ibid.
In queru quid 146, 1.
mixta in arbore quid 145, 2.
In queru 142, 2. 145, 2.
Pilula in queru 142, 2. 146,
2.
Pilosella major & minor 846,
2.
Majoris mirabilis effectus
ibid.
Unde dicta ibid.
An Mysotis ibid.
An holostium ibid.
- An gramen leucantheum i-
bid.
An Myositis ibid.
Pilosella minor an leontopo-
dium ibid.
An gnaphalion ibid.
Ejus descriptio 847, 2.
Pimpinella vulgata sanguisorba
an petroselinum Macedo-
nicum 809, 2.
Pimpinella an elatine 675, 2.
Spinosa est stoebe Dioscoridis
634, 1. 637, 2.
An poterion 637, 2.
Pinaster 41, 2. 122, 2. 165, 1. 368,
2.
Quando fructificat 130, 2.
Quando germinat 131, 1.
Pingua an odorata 964, 2.
Pinus 17, 2. 19, 23, 24, 18. 124,
2. 134, 2. 137, 2. 368, 2. 964,
2.
tedaceus 24, 1.
Est perpetuo folio 124, 2.
E semine tantum exit 74, 2.
Quando transplantanda 88, 1.
An montibus propria 123, 1.
An florem fert 129, 2.
Quando fructificat 130, 2.
Quando floret 132, 2.
Quando cædenda 967, 2.
Incisa quando coalescit 968, 2.
Deciso cacumine interit 141,
2. 142, 1. 505, 2. 144, 2.
Idæa 158, 2. 968, 2.
Picem copiosiorem præbet
ibid.
Ejus descriptio 165, 1.
Est mas & foemina 158, 2.
Ejus differentia ibid. 162, 1.
In Syria non nascitur 972, 2.
Marittima 158, 2. 164, 2. 968,
2.
Quomodo differt a picea 159,
2. 158, 2.
Quomodo differt ab abiete
159, 2. 513, 2.
Sylvestris 165, 1.
Locis apricis pulcherrime
provenit 283, 2.
Pinus quadripartita vel quadri-
flua quæ 513, 2.
Optima est, & minus sunt
514, 2.
Bipartita vel bisflua quæ 513,
2.
Mollior est, & in opere pejor
514, 2.
Simplex quæ plures sunt 514,
2.

I N D E X.

- Cur magis quam abies rada-
tur a tinea 521, 2.
Cur marina servatur aqua
527, 2.
Cur dulci lædatur ibid.
Valde pondus sustinet 530, 2.
Incurvatur ab onere in diver-
sum ibid.
Ejus materies durabilis in aqua
536, 1.
Est perpetuæ naturæ & ca-
riem non sentit 521, 2.
Ubi præstantior 538, 2.
Est navibus apta 533, 2.
Quercui non agglutinatur ibid.
Pinus Virgilii an chamepithiis
826, 1.
An tinus laurus 826, 2.
Pini caro rigida, constat nervis
paucioribus 514, 2.
Differentiæ & genera 158, 2.
Descriptio 159, 2. 164, 1.
Folia 53, 1. 48, 2. 49, 2. 50,
2.
Quod genus coniferum 79, 2.
Generatio 131, 1.
Materies quâdo cedenda 511,
2. 512, 2.
Morbus 159, 2.
Medulla 23, 2.
Semen ejusdem generis creat
arborem 78, 2. 79, 1.
Radix 24, 2.
Humor 965, 2.
Piper 369, 1.
Unde dictum 1179, 2. 1180, 1.
An vox barbara 1180, 1.
An antiquitus in usu familiaris
1179, 1. 2.
Est mas & fœmina 1180, 2.
Album *αγλεία* cur dictum 1181,
2. 1182, 1.
Album an enigro fit 1183, 1.
Album non est inmaturum 1183, 2.
Album an nigrum acrius ibid.
Album an ingrediatur Theria-
ces compositionem 1182, 1. 2.
Rotundum Theoph. an cube-
be 1010, 1.
Indicum an cardamonum ve-
terum 1013, 1.
An siliquastum Plinii ibid.
Cur capsicum dictum ibid.
Caudatum an amomum 1016,
2.
Piper album an rotundum The-
ophrasti 1182, 2.
Album & nigrum an ex longo
fit 1182, 2. 1183, 1.
- Longum an ingrediatur The-
riaces compositionem 1182,
1.
Longum an adulteratur hodie
1183, 1.
Longum & nigrum quomodo
discernit Theoph. 1182, 2.
Æthiopicum an piper nigrum
ibid.
An amomum 1016, 2.
Cassum bregma dictum 1183,
1. 1184, 1.
Agreste 265, 1.
Piperis arbor an junipero similis
1183, 1.
Genera quot 1178, 2. 1181, 1.
Descriptio 1180, 1. 2.
Folium ibid.
Indici descriptio 1013, 2.
Albi. nigri, longi, planta qualis
1180, 1.
Longi planta a nigri diversa
est 1181, 1.
In quibus differunt ibid.
Longi descriptio 1183, 1.
Albi & nigri planta quomodo
differunt 1182, 1. 1183, 1.
Radix an zinziber 1184, 1.
Pipula quid 1034, 1.
Pifa 918, 1.
Pifum quando serendum 909, 2.
Quando provenit 910, 2.
Unde dictum 917, 2.
Ejus genera 918, 1.
Pifa sale addito non mollescunt
coctura 916, 2.
Piscis quibus mensibus pariunt
734, 2.
Piscis pastinaca unde dictus
1120, 1.
Pis pum 318, 1.
Pistacia unde dicta 359, 2.
Quando in Italiam illata ibid.
Pistacia arbor an amigdale simi-
lis 360, 2.
Genera duo 360, 1.
Descriptio 361, 1.
πιστικη quid botanicis 83, 1.
πισις panis quis 928, 2.
πισι an tæda 123, 1.
πισινη chamepithys dicta 826, 1.
πισι quid denotat 24, 1.
Picea dicitur 163, 2. 164, 1.
Non est larix 166, 1.
πιτιδη quid 168, 1.
Pityusa an species titimali 1083,
1.
Pix amara quomodo dicitur 168,
2.
Cruda melior 158, 2. 162, 1.
- Optima ubi 968, 2.
Optima quæ 972, 1.
ωμη quæ 972, 2.
Liquida *χύος* dicta 973, 1.
Liquida & sicca ibid.
Sicca quomodo fit 973, 2.
Liquida quæ optima 974, 1.
Sicca quæ optima 974, 2.
Boscias dicta 974, 1.
Quomodo uratur, diversi mo-
di 972, 2.
πισοιλατειν quid 973, 1.
πισοειδης quid ibid.
Picis flos 973, 2.
Picis serum ibid.
Picem quomodo antiqui & re-
centiores conficiunt 973, 1.
Planities quid 122, 1.
Planta quid 5, 2.
Ex deteriori solo in melius
translata an melior fiat 87,
2.
Sylvestris non amat terram
meliorem ibid.
Nulla habet folium pro spi-
na 589, 1.
Nullam habet partem qua
abscissa sterilis reddatur 82,
2.
Plantæ annuæ quæ 818, 2.
Anni caules quæ ibid. 824, 2.
738, 2.
Recti caules quæ 819, 1. 824,
2.
Nervicaules quæ 819, 1.
Humicaules repentes 819, 1.
826, 1. 828, 1.
Amplexi caules 819, 1. 824, 2.
826, 1.
Multicaules 819, 1.
Unicaules ibid.
Levicaules ibid.
An omnes pediculum habent
2, 2.
An omnes caulem habent 5, 2.
An omnes radicem habent 5,
2. 6, 2. 24, 2.
An omnes corticem habent 5,
2.
An omnes fructum habent 5,
2. 19, 1.
An sine flore frugiferæ 828, 2.
An omnes germen habent 5,
2.
An omnes ramum habent
ibid.
An omnes venam habent
ibid.
An omnes medullam habent
ibid.

I N D E X.

- An omnes nervum habent
ibid.
- An sunt quæ his carent ibid.
- Quæ caule reciso non repul-
lulant 738, 2.
- Quæ radicem longius mittunt
37, 2.
- Plantæ quæ perpetuo virent 44,
45, 46.
- Quæ diuturniores 645, 1.
- Quæ annuæ 645, 1. 738, 2.
818, 2.
- Quæ prius folia demittunt 44,
2.
- Quæ coronariæ 645, 1.
- Bifariam dividuntur ibid.
- Quæ autumno folia promunt,
æstate amittunt 48, 1.
- Quæ flore carent 818, 2.
- Quæ sine folio 50, 2. 68, 2.
- Quæ cum fructu florem di-
mittunt 818, 2.
- Quæ sine radice 50, 2.
- Quæ radice carere dicuntur
1175, 2.
- Quæ fructum & non florem
promunt 65, 2.
- Quæ florem non fructum fe-
runt 841, 1.
- Quæ semen ferunt ex semine
gignuntur 70, 2. 680, 1.
- Quæ semen ex floribus non
producunt 893, 1. 841, 1.
- Quæ per radices integras, vel
frustilatim concisas multi-
plicantur 72, 1. 763, 2.
- Quæ ex trunco propagantur
71, 1.
- Quæ avulsione feruntur 736,
2.
- Quæ ex semine non nascuntur
75, 1.
- Quot modus generentur 70, 2.
736, 2.
- Omnes in Creta præstantio-
res 1131, 2. 1135, 2.
- Omnes humorem & calorem
infustum habent 7, 2.
- Omnes an semine proveniunt
736, 2.
- Omnes sine semine jacto e-
mergunt 71, 2.
- Omnes scille impositæ facilius
germinant 85, 2.
- Quomodo ordine differunt 2, 2.
- Quomodo deleteriæ & salu-
bres 1096, 2.
- Quomodo transplantadæ 85, 2.
- In qua terra transplantandæ
ibid. 86, 1.
- Quando caulescunt 6, 2, 7,
1.
- Qua analogia ad animalia re-
ferenda 3, 2.
- Quibus spinæ foliorum loco
est 49, 2.
- Minores genicula, majores no-
dos ferunt 990, 1.
- Æstivæ brevem radicem ha-
bent 740, 2.
- Sylvestres & domesticæ in
quibus differunt 14, 2.
- Sativæ an antea fuerunt feræ
15, 1.
- Hortenses an præstantiores
ferant fructus 16, 1.
- Plurimæ incultis gaudent 599,
2.
- Diversæ post pluvias sponte
nascuntur 72, 1.
- An generentur ex aqua putre-
scente 118, 2.
- Plantæ pro loci, cœlique ratio-
ne differunt 14, 2. 35, 2. 328,
1. 659, 2.
- Aliæ humidis, aliæ siccis locis
tantum nascuntur 16, 1.
- Radice capitata cur vivaciores
865, 2.
- An omnes longævæ 873, 1.
- Odoratæ ubi maxime nascun-
tur 369, 1.
- Odoratæ quæ ibid.
- Marinæ sale similes fieri 417,
2.
- Ex quibus vestes conficiunt
Indi 347, 2.
- Partium diversitate varios ef-
fectus pariunt 1048, 1.
- Miræ naturæ 417, 2.
- Plantas senecta steriles reddit
82, 2.
- Plantas semine an planta ferere
quid præstet 682, 2.
- Plantis conveniens tribuatur ter-
ra 85, 2. 87, 1.
- Plantarum differentia unde sumi-
debet 1, 2.
- Plurimæ sunt differentiæ 68, 2.
- Differentia alia terrena, alia
aquatilis 402, 2.
- Differentia in multitudine,
spissitate, &c. 5, 2.
- Differentiæ per formas 15, 2.
16, 2.
- Differentiæ a natali solo 15, 2.
16, 1. 538, 2.
- Differentia ab ætate 16, 2.
- Differentia a cortice, figura,
ligno caudice 17, 2. 18, 1.
- Partes quæ 1, 2.
- Partes quæ annuæ 1, 2.
- Partes quæ primæ, maximæ,
& comunes 9, 2, 5, 1.
- Partes quot, & in quibus dif-
ferunt 2, 2, 3, 2.
- Partes ex quibus constent fru-
ctus, folium, vena 5, 2.
- Partes aliæ comunes & per-
petuæ, aliæ annuæ 6, 2.
- Partes quæ magis odoratæ 61,
2.
- Quæ pars radix dicenda 6, 2.
- Historia quomodo haberi po-
test 2, 2.
- Quidam fructus sub foliis, su-
pra folia in cacumine, in cau-
dice, sub terra sunt 2, 2.
- Plantarum principium 93, 1.
- Umbilicus ibid.
- Aquatilium vita est brevior
489, 2. 490, 2.
- Sylvestrium vita equalis 489,
2.
- Urbanarum vita differt ibid.
- Urbanarum an sylvestrium vi-
ta longior ibid.
- Senecta 7, 2.
- Mors 7, 2.
- Proventus trifarius est 736, 2.
- Diversitas non a florum diver-
sitate 818, 1.
- Partium differentiæ, & nomi-
na unde sumenda 7, 2. 8, 2.
11, 2.
- Quot genera 12, 1.
- Non omnia folia autumno de-
cidunt 590, 2.
- Folia cur parte terræ proxima
primum disfluent 46, 1.
- Oderatarum flores inodori
non sunt 61, 1.
- Mutatio non est similis ut in
animalibus 83, 2.
- Plantago 842, 2.
- Media Dodonæi an cynoglossa
849, 2.
- Theophrasti & Dioscoridis an
eadem ibid.
- Plantaginis varia nomina 843, 2.
848, 2.
- Genera quot 848, 2.
- Aquaticæ descriptio 700, 2.
- An alisma ibid.
- Plasma quid 477, 1.
- Platanus 15, 2. 138, 2. 540,
2.
- Ubi perpetuo viret 47, 2.
- Quæ nunquam folia deperdit
44, 2.

I N D E X.

- In oleam mutata 81, 1.
In tripode æneo enata 118, 2.
Non ubique provenit 402, 2.
Magno honore habita 405, 1.
An Italiæ familiaris ibid.
Unde dicta ibid 406, 2.
Oviedo muza dicitur 353, 2.
Non est tilia 407, 1.
Non est acer ibid. 183, 1.
Vespertilio fugat 407, 1.
In Delphis longæva 489, 2.
A flatu prostrata resurgit & Pœonia colligendi noxa antegerminat 505, 2.
Quomodo germinat 130, 2.
Platani radix 24, 2. 26, 1.
Radix in lyceo latè diffusa 37, 2.
Folia 48, 2. 52, 2.
Descriptio 407, 2.
Platani matieres qualis 518, 2.
Matieres cito putreficit 533, 2.
Duo genera 407, 1.
Cortex disrumpitur 503, 2.
Platonis codex corrigitur 633, 1.
Locus enarratur 175, 1.
Plethrum quid 349, 2.
Plinii errores plurimis locis demonstrantur passim uti diligens lector facile animadvertiset.
Plinii codex pluribus locis corrigitur uti diligens lector facile passim animadvertiset.
Plinius & Aristoteles conciliatur 785, 1.
Plinius & Galenus conciliantur 813, 1.
Plinius & Dioscorides conciliatur 813, 1. 862, 2.
Plinius & Hesichius conciliatur 601, 2.
Plinius & Pollux, conciliantur 601, 2.
Plinius defenditur 323, 414, 430, 433, 455, 524, 21, 151, 256, 628, 642, 701, 927, 998, 1005, 1020, 1030, 1159.
Plinius explicatur 464, 1.
Plinius quando suos libros conscripsit 527, 1. 592, 2.
Pluterchi codex corrigitur 105, 1. 397, 1. 409, 1. 431, 1. 610, 2.
Pluterchus & Aristoteles conci-
- lianturn 105, 1.
Pluvialis aqua ubi fructibus nocet 423, 2. 428, 1.
osia 127, 1.
mæ quid 840, 2. 1039, 1.
mæ quid 34, 1.
Pocula Therecleia quæ 519, 2.
È tamarice 410, 2.
Ex therbinthi materia fictilibus secerni non possunt 517, 2. 519, 1.
Pœonia quando colligenda antiquitus 1041, 2.
A flatu prostrata resurgit & Pœonia colligendi noxa antiquitus ibid.
Pœoniam colligendi modus fabulosus 1044, 1.
Pœonia unde dicta 1042, 1.
Cur dulcisida dicta ibid.
Ejus varia nomina & facultates 1042, 2.
An cynospestis Æliani 1043, 2.
An baaras Flavi Josephi ibid.
Ubi nascitur ibid.
Est duplex ibid.
Ejus descriptio ibid.
Polemonium Dioscoridis an tunica herba 668, 2.
Polium 842, 2.
Unde dictum 844, 1. 1174, 1.
Est frutex ibid.
Est duplex ibid.
Ejus descriptio ibid.
An graveolens ibid.
An santolina 685, 2.
An μυριφαρον 848, 1.
Non est thymbra 735, 2.
 $\pi\lambda\lambda\iota\sigma$ & $\pi\lambda\lambda\iota\sigma$ sunt diversæ plantæ 844, 2. 1174, 1.
 $\pi\lambda\lambda\iota\sigma$ unde dictum 1174, 1.
Polium montanum Clusii an Hypopus veterum 728, 2.
Polium cum descriptione Hysopi Arabum non convenit 730, 1.
Polii montani descriptio 845, 1.
An leucas ibid.
Campestris descriptio 844, 2.
Polii folia contra noxios vermiculos vestibus imponuntur 48, 2.
Pollione oliva Lacineana 314, 2.
Pollucis error 400, 2.
Pollucis codex corrigitur 242, 1279, 2. 313, 2. 317, 2. 496, 1. 580, 1. 590, 2.
- Pollux concilia tur cum Plinio 601, 2.
Pollux conciliatur cum Hesichio 601, 2.
Polyacanthos 588, 2.
Polygonati descriptio 1067, 1.
Unde dictum 1067, 2.
Polyganum fœmina 459, 2.
Polyganum & holostium an eadem planta 1052, 1.
Polygani descriptio & vires 1051, 1.
Genera 1051, 2.
 $\pi\lambda\lambda\kappa\alpha\lambda\alpha$ an habent radicem $\xi\lambda\omega$ - $\delta\eta$ 749, 2.
Polyonimō parietaria dicta 816, 2.
Polypodium 1111, 2. 1178, 2.
Unde dictum 1115, 1.
Cur scolopendrum dictum ibid.
Cur filicula dictum ibid.
Polytricha 605, 1.
Polytricum adianthum 881, 2.
mæ quid 98, 1. 2.
Pomus 122, 2.
Pomum quid significat 398, 1.
Vox latè patet ibid.
Late & stricte sumitur 383, 2.
Quid Grammaticis 89, 2.
Semper vivens 423, 2.
Pomum Adami 346, 1.
An ficus indica 350, 1. 2.
Unde sic dictum 346, 1.
Ejus descriptio ibid.
Poma præcidua an florent 129, 2.
Poma matura 595, 1.
Pomorum universum genus in India 347, 2.
 $\pi\lambda\lambda\iota\sigma$ quæ herbæ 38, 1.
Popilla quid 131, 1.
Populus 17, 1. 19, 1. 122, 2. 124, 2. 540, 2.
Quando folia vertit 482, 2. 51, 2.
Quando germinat 130, 2.
Herculi est grata 217, 2.
Herculi est sacra 218, 1.
Alba tempus indicat 218, 1.
Est alba & nigra 536, 1.
Est brevioris vitæ 490, 2.
Palustria amat 283, 2.
An montes amat 123, 1.
Ubi longæva 490, 1.
Alba resurrexit procidua 505, 2.
Populus lybica 220, 1.
An sit Cercis Theophrasti 219, 2.

Ejus

I N D E X.

- Ejus folia cur crepant 53, 2.
 Populi albæ folia 51, 1.
 Utriusque descriptio 214, 2,
 219, 1.
 Utriusque historia 217, 1.
 Folia cur altera parte albicant
 ibid.
 Primum germen semen vo-
 catur 218, 2.
 Unguento populeo est adden-
 dum ibid.
 Materies qualis 519, 2, 520, 1.
 Gemma 219, 2.
 Populo coronantur herœs &
 amantes 217, 2.
 Porcellio 322, 2, 332, 1.
 Ubi provenit 323, 1.
 Porridæ 793, 2, 794, 2.
 Porrum acervatim satum melius
 provenit 760, 1.
 Ex allio fit 763, 2.
 Quando provenit 731, 2, 734,
 2.
 Sine noxa cur editur 747, 1.
 Ut capitatum fiat 787, 2.
 Junci folium 788, 2.
 An gethylis ibid.
 Capitatum 788, 1
 Sectile ibid.
 Κάρπος ibid.
 Porri succus cur pernitosus 747,
 1.
 Mira facultas 788, 2.
 Notæ ex Theophrasto 787, 2.
 Genera ibid. 788, 1.
 Cultura ibid. 788, 1.
 Semen ad perdurandum firmi-
 us 795, 2, 796, 1.
 πόρφηρος pro splendido, eleganti,
 venusto, atro, nigro, ponitur
 867, 2.
 Portulaca arbor 17, 2, 122, 2,
 138, 2.
 Quando fructificat 130, 2.
 An detracto cortice moriatur
 503, 2,
 Ad quæ utilis 534, 2.
 Ejus fructus inebriat 18, 1.
 Ejus descriptio 234, 2.
 Ejus cortex disruptur 503,
 2.
 Portulaca herba initio fatua,
 adulta acida 990, 2.
 Quando provenit 731, 2.
 Unde dicta 750, 1, 2.
 Sitim sedat 750, 2.
 Descriptio 751, 1.
 Παστειβανη quis mensis 281, 2.
 Posidonius quis, codex corrigi-
 tur 361, 1, 2.
- Possibile & contingens quomo-
 do differunt 70, 2.
 Postes quid 763, 1.
 Poterii descriptio 634, 2.
 An stœbe Theophrasti 634,
 1.
 An pimpinella spinosa 637,
 2.
 Unde dictum 634, 2, 635, 1.
 An prunus sylvestris 635, 1.
 Poterion Alpini 635, 2.
 Pothos 717, 2.
 An flos constantinopolitanus
 717, 2.
 An clematis altera 719, 1.
 An aquilina ibid: 718, 1.
 Præcisa aut brevia quæ fabri li-
 gnarii vocant 514, 2.
 περάσσω & περάσω differunt 787, 2.
 Praesinus color ibid.
 περάσσω unde dictum ibid.
 περάσσωδε color ibid.
 Premnum 41, 2, 43, 2.
 Primula veris an alisma 700, 1.
 An phlomidis genus ibid:
 Est major & minor ibid.
 Utriusque descriptio ibid.
 Priscianus notatur 948, 2
 πρίσκια Hipp. an myrica 405,
 2.
 Promiscuum quid 25, 1.
 Propago seu viviradix quomodo
 a matre avelli debeat 72,
 1.
 Duplex modus, duplex cau-
 tio 73, 1.
 πρέση in vite quid 73, 1.
 Prosperi Alpini candor 448, 1.
 Prunella an Britannica 677, 1.
 Prunus 138, 2, 303, 2, 964, 2,
 867, 2.
 Non est cocomlea 316, 2.
 Prunus Sylvestris 319, 2.
 An poterion 635, 1.
 An gummi fundat 965, 2.
 Pruni descriptio 138, 2, 319,
 1.
 Flos 62, 2, 64, 2.
 Satio 85, 2.
 Prunopersica 319, 2.
 Prunorum genera 317, 2.
 Pro vario cultu varia genera
 319, 1.
 Differentia unde sumitur ibid.
 Pruna acida quæ 317, 2.
 Afinina 319, 2.
 Cerea 318, 2.
 Cerina ibid.
 Candidantia ibid.
 Damascena 317, 2, 318, 1.
- An alvum compescant ibid.
 Cur brabula dicta ibid.
 An brabula sint Damascena
 318, 2.
 Non est tamarindus ibid.
 Decumana 319, 1.
 Iberica 318, 2.
 Nana ibid.
 Onychia ibid.
 Cier prumen 319, 1.
 Pis prumen 318, 2.
 παλιδες quid 144, 1.
 Pseudocasia quid 988, 1.
 Pseudodictamum ubi nascitur
 1135, 1.
 Ejus descriptio 1134, 2.
 Psilotrum 468, 1.
 Psora animalculum 125, 1.
 Psyche animalculum ibid.
 Psyllium 577, 1.
 Unde dictum 820, 1.
 Ad spicatorum classem rese-
 rendum ibid.
 Ejus descriptio ibid.
 Est cynops ibid.
 Plinianum 820, 2.
 Psylii species & varia nomina
 ibid.
 ψύχες quid 116, 1.
 ψυχικής an muza 353, 1.
 Ptarmica an strutum 722, 1.
 An hydropiper ibid.
 Unde dicta ibid.
 πτήση quid 352, 1.
 Pternix caulis carti 613, 2.
 Pternix 627, 2, 628, 1.
 Unde dicta ibid.
 Pubertas corporis vaccinio tar-
 datur 711, 1, 2.
 Pulegium unde dictum 1134, 1.
 βλάχω dictum 563, 1.
 βλαχη, cur dictum 1134, 1.
 Vulgare latifolium est vete-
 rum 1134, 2.
 Regale cur dictum ibid.
 Cervinum an præstantius
 ibid.
 Pulegii genera duo ibid.
 Pulegium agreste 814, 1.
 Pulicaria 546, 2, 577, 1.
 Fugat venenatas bestias 550,
 2.
 Mascula 676, 2.
 Pulicariæ genera & differentæ
 550, 2.
 Pulices pellere 577, 1.
 Pulmentarium ruris 7632.
 Pulmonaria Gallorum an cor-
 chorus 817, 1.
 Pulsatilla an anemone 707, 1.
 Nunnn 4 Unde

I N D E X.

- Unde dicta 707, 2.
Tota est sylvestris ibid.
Pulveratio a fossione diversa IIII, 2.
Arborum qualis 112, 1.
Pulvis ad ornamenta manus 63, 2.
Pumicis facultas mira 1148, 2.
Punica 138, 2, 368, 2.
Cultura mutatur 77, 2.
Dulcia citius putrescunt 392, 2.
Acris an detur 393, 1.
Fert flores fœcundos & steriles 67, 2.
Eorum differentiæ ibid.
Mercurio cur dicata 390, 2.
Nucleo carens 392, 2.
Quomodo provenit 70, 2.
Quomodo scerenda 109, 1.
Ramo scriitur 73, 1.
Repululat è radice 492, 2.
Ubi nucleo surgit 76, 2, 79, 2.
Unde dicta 390, 2, 393, 1.
Ubi sata melior fit 76, 2.
Siccum locum amat 123, 1.
Sylvestris triplex 392, 2.
Quando meliores & plures fert fructus 11, 2, 13, 2.
In Ægypto & Arabia parva est 998, 2.
Punicæ calix seu cytisus 67, 1, 2.
Domesticæ descriptio 393, 1, 2.
Differentiæ 392, 1.
Flos 62, 2, 63, 1, 64, 2, 65, 2, 66, 2.
Flos rosam emulatur 66, 1.
Genus quod fructum perficere nequit 65, 2.
Genera quod Plinio 395, 1.
Medulla 23, 2.
Natura nisi cultura accedat 10, 2.
Ortus apud Arnobium 391, 1.
Patria est Creta 393, 1.
Satio 85, 2.
Sylvestris descriptio 393, 2.
Punicum malum concordiam & castitatem denotat 390, 2.
Cur palladis simulachrum manu tenet ibid.
Quomodo servari potest 873, 1, 2.
Purpura 415, 1.
Purpuræ flos ibid.
Puppureus flos niger Græcis dicitur 659, 1, 703, 2.
- Purpureus color 711, 2, 868, 1, 966, 2.
Purpureus color vivacitatem denotat 867, 2.
Omnibus coloribus attribuitur 868, 1.
Est duplex ibid.
Est violaceus ibid.
Purpureum quid 867, 2.
Purpureum nitidum, pulchrum Floridum denotat 868, 1.
Putredo & caries differunt 530, 2.
Putrida poma 595, 1.
πυανεφιῶν mensis quis 243, 2.
πύη quid 1039, 1.
πυός quid ibid.
πύνς lacteus succus 1038, 2.
Pyracanthæ descriptio 262, 2.
πορτιῶν quid 543, 1, 544, 1.
Quomodo inventum 543, 1.
Pyraustes animalculum 125, 1.
πυρωτοῦ vox quomodo intelligatur 58, 2.
πυρός color 1006, 1.
Pyrastrum non fit pyrus 80, 2.
Quando fructificat 130, 2.
Ejus descriptio 397, 1.
Pyrus 122, 2, 368, 2, 138, 2.
Unde dicta 394, 2.
Quando fructificat 93, 2, 112, 2.
Ut dulcior fiat 112, 2.
Agrestis translata fructus fert bonos 89, 1.
Sylvestris 44, 2, 545, 2.
Pyri natura nisi cultura accedat 10, 2.
Folia 49, 2, 51, 2.
Satio 85, 2.
Descriptio 396, 2.
Materies qualis 520, 2.
Pyrorum differentiæ quot 394, 2.
Varia genera quot apud Macrobium 396, 2.
Varia nomina 394, 395, 396.
πυρός unde dictum 934, 2.
πυξ 29, 2.
Pyxacantha 354, 1.
- Q.*
- Quadratoria vel quadrantalis 131, 2.
Quando germinat 130, 2.
Quando fructificat ibid.
Quarquatuum quid 23, 2, 26, 1, 517, 2.
Quercus 17, 2, 19, 1, 122, 2.
- Quæ nunquam folia demittit 44, 2, 45, 2.
Ubi perpetuo viret 47, 2, 148, 2, 123, 2.
Quomodo scribitur 75, 2.
Nullum solum respuit 123, 2.
Quando germinat 130, 2.
Quot & quæ gignit præter fructum 145, 1, 146, 1, 2.
Urbana & sylvestris quomodo differunt 146, 2.
Cujus circū currrens linea centrum passus continet 148, 2.
Latifolia circa Viennam 154, 1.
Est durabilis 492, 1.
Marina 403, 2, 415, 2.
Altera 404, 2.
Quercus medulla 23, 2.
Radix 25, 1, 26, 1.
Lignum an carnosum 23, 1.
Flores quales 132, 1.
Folia 49, 2, 53, 1.
Genera quot 146, 2, 147, 2, 148, 2, 155, 2, 158, 2.
Genera quot apud Idæos 147, 2.
In quibus differunt ibid.
Historia 153, 1.
Usus ad quæ 533, 2.
Dores 541, 1.
Erymon ibid.
Quercus & cerri differentia 154, 1.
Quercus & roboris differentia 152, 2, 153, 1.
Quercus aqua Marina corrumpitur 527, 2.
Sub terra est æterna ibid.
Quercus Strabonis an sit ilex coccifera 240, 1.
Quercinus Muscus 156, 1.
Quinquefolium unde dictum 1112, 1.
Ejus genera quot 1112, 2.
Ejus descriptio 1111, 2.
Quisquiliæ 238, 1.
Quisquiliæ quid 235, 1.
- R.*
- παρὸς* quid 288, 2.
Quas habet significaciones 13, 2.
πάχιος 155, 2, 156, 1.
Radia oliva 315, 1.
Radiculæ descriptio 769, 1.
Radicula sativa quomodo serenda 770, 1.
An Rhaphanus veterum 32, 2.
Radices sunt Masculæ & fœminæ 769, 1.

Earum

I N D E X.

- Earum differentiae ibid.
 Esculentæ & non esculentæ Radix extuberans quæ 681, 2.
 quæ 829, 2.
 Quomodo ~~καρπονοῦσθαι~~ dicuntur 26, 2.
 Quomodo grandiores fiunt 33, 2. 34, 2. 35, 2. 36, 2.
 Quibus locis grandiores fiunt 37, 2.
 Quam altè descendunt 37, 2.
 39, 1.
 Longiores facit humi natura 37, 2.
 Quando colligendæ 1040, 2.
 1067, 2.
 Quando pejores aut esui ineptæ 619, 2.
 Quando vegetiores & præstantiores 1040, 2.
 Sunt lignosæ aut carnosæ 740,
 2.
 Breves quæ ibid.
 Dulces minus fervari possunt 1112, 2.
 Acerbae & acres cur minus validæ servantur ibid.
 Quæ maximè durabiles 1112,
 2. 1115, 1. 2.
 Radices ellebori maxime durabiles 1115, 1.
 Radicum differentia multiplex 829, 2.
 Radicum discriminem 23, 2. 24, 2.
 26. 27. 28. 33. 36, 2. 841, 2. 854, 2.
 Affactus duplex 25, 2.
 Genus duplex 33, 2.
 Differentia duplex 72, 1.
 Differentiae unde sumendas 1103, 2.
 Forma diversa 36, 2.
 Succus efficacior quam fructus 37, 2.
 Odor qualis 61, 2.
 Potentie & differentie 1038, 2.
 Partes quæ colligendæ 1040, 2.
 Collectio quando optima 1039, 2.
 Excisio ratione tempore differt ibid.
 Radicis vis deterior si fructum perfecerit 1112, 2.
 Succus cuius in medicina usus raro extrahitur ibid.
 Radicis celtis usus 321, 2.
 Radix quid, definitio 4, 2. 6, 1.
 Quomodo semper terræ insedit 6, 1.
 Quomodo succulentior & fua-
vior 739, 1.
 Cur deterior cuius fructus maturescit 1116, 2.
 Fruticosa 738, 2.
 Ab officio & forma dicitur 34, 2.
 Non est omne quod sub terra est ibid, 35, 1.
 Sine planta 49, 2. 53, 1.
 Quomodo diu durat 736, 2.
 Quædam dulcis mentem alienare facit 1094, 2.
 Quædam dulcis mortisera ibid.
 Radix abietis 24, 2. 26, 2.
 Allii 34, 1.
 Amigdalæ 24, 2. 34, 1.
 Ari 33, 2. 34, 1.
 Arundinis 33, 2.
 Betae 33, 2.
 Bulbi 33, 2.
 Cœpæ 33, 2. 34, 1.
 Croci 33, 2.
 Cyperi 33, 2. 34, 1.
 Cypressi 24, 2.
 Esculi 26, 2.
 Ficus 24, 2. 25, 2. 26, 2.
 Gethi 33, 2.
 Gladioli 33, 2.
 Graminis 33, 2.
 Hastulæ regiae 33, 2. 34, 1.
 Hermodactyli 34, 1.
 Juglandis 25, 2. 34, 1.
 Lauri 24, 2. 25, 2. 26, 2.
 Mali 24, 2.
 Ocyti 33, 2.
 Oleæ 24, 2. 25, 2. 26, 2.
 Pini 24, 2.
 Platani 24, 2.
 Rapæ 24, 2. 33, 2. 34, 1.
 Rhaphani 24, 2. 33, 2.
 Roboris 24, 2. 26, 2.
 Runicis 24, 2. 737, 2.
 Scyticæ 1093, 2.
 Scillæ 33, 2.
 Testiculi canis 34, 1.
 Testiculi sacerdotis 34, 1.
 Vitis 24, 2.
 Radicem an omnes plantæ habent 5, 2. 27, 1.
 Ramus quid ejus definitio 4, 2.
 5, 2.
 Cur ~~est~~ dicatur 6, 2.
 Ramum an omnes plantæ habent 5, 2.
 Ranunculus asiaticus 705, 2.
 Ranunculus nemorosus non est anemone sylvestris 704, 1.
 Rapa & brassica inter se mutantur 78, 2.
 Est mas & fœmina 772, 1.
 Sativa & sylvestris ibid.
 In quo differunt 795, 2.
 Unde dicta 771, 2.
 Est vox latina non græca ibid.
~~τάχη~~ cur dicta ibid.
 Quando masculet, aut fœmineescit ibid.
 Quando dulcescit ibid.
 Mas an ~~βουνος~~ 772, 2.
 In napum degenerat 772, 1.
 Ex semine brassicæ quomodo provenit 771, 2.
 Rapæ radix 24, 2. 33, 2. 34, 1.
 Quomodo diu durat 736, 2.
 Genera 761, 2. 772, 1.
 Semen, & quod optimū 771, 2.
 Quomodo magnæ evadunt 773, 2.
 Insignis magnitudo 773, 1.
 Sylvesteris descriptio 773, 2.
 An viola mariana ibid.
 Raparum abundantia in India 773, 2.
 Rapistrum an rhaphanus agre-
stis 770, 2.
 Rapunculum an rapa sylvestris 773, 2.
 Ratio docendi Græcorum & A-
rabum 52, 2.
 Raritas & siccitas summa con-
jungi possunt 531, 1.
 Raritas & durities summa con-
jungi non possunt ibid.
 Rarum & durum an sunt con-
traria 917, 2.
 Regionis & loci ratione melior
aut pejor fructus ex satione
provenit 76, 2.
 Remedium adversus culices ar-
borum 113, 2.
 Recti & eredi differentia 148,
 1.
 Recti caules plantæ quæ 819, 2.
 824, 1.
 Regina prati an tragopogon 815, 1.
 Cur barba hirci vocatur ibid.
 An rhodora Plinii ibid.
 Regia oliva 315, 1.
 Remus quomodo optimus 513,
 2.
 Resilit & dissilit differunt 161, 2.
 Resina & gummi differunt 966,
 1.
 Quomodo fit 968, 2.
 Quæ præstantissima 968, 2.
 970, 2.
 Resina dupli modo elicetur 970, 1.
 Resina seu ~~resinæ~~ unde dicta 969, 1.
 Resina

I N D E X.

- Resina ex ligno colligitur 230, 1.
2.
Resina laricea 167, 2.
Resina therebinthina optima 971,
1.
Resinam quæ arbores dant 968,
2.
Resiniferæ arbores non sunt in
Syria 972, 2. 974, 2.
Resinæ descriptio 230, 2.
Resinæ due 969, 1. 2.
Resinæ & picis differentiæ 971, 2.
972, 2.
Rha amnis 802, 1.
Rhaberbarum monachorum est
hippolapathum ibid.
Rhaberbarum Alpini est species
hippolapathi ibid.
Ejus descriptio ibid.
Ejus tria genera 802, 1.
An rhabanticū tracicum ibid.
An rhabanticum Dioscoridis Rhaphanus & brassica yiti nocent
ibid.
Rhaberbarum seu rhabanticum Rhaphanus *κατ ιππον*, radix dicitur
an in Moscovia nascatur 802,
1.
Rha nostrum unde fertur ibid.
An *εινομη* ibid.
An Dioscoridis 802, 2.
Tracicum an Dioscoridis ibid.
An lapathum antiquis dictum Rhaphani genera 760, 2.
ibid.
Rhabarbari aut rhei radix quo-
modo differt a centaurei
magni radice 802, 1.
An cortex niger ibid.
An fungosa 802, 2.
Rhaponticum officinarum non
est rha veterum 1046, 1.
Rheum barbaricum unde dictum
1018, 1.
Rhacyntha Mathioli non est
condrilla 858, 2.
Ejus descriptio ibid.
Rhamnorum genera quot 249, 2.
259, 2.
Rhamnus primus an hypophaeas
632, 2.
Tertius non est paliurus 260,
2. 266, 1.
Alexipharmacis loco 258, 2.
Quomodo papaveri similis
260, 1.
Rhamnus frutex. Ejus usus ibid.
Rhamni descriptio 259, 2. 260, 2
Rhaphanis 11, 1. 13, 2. 32, 2. 546,
1. 547, 1.
Rhaphanis & rhaphanus diffe-
rent 13, 2. 32, 2. 546, 1. 547,
1. 768, 2.
Rhaphanus unde dictus 768, 1.
Antiquis brassica dictus ibid. Rhodonia quid 46, 1. 47, 1. 66, 1.
774, 1. 1120, 1.
Recentioribus rhaphanus 768,
2.
Recētioribus est radicula 32, 2.
Quando provenit 731, 2. 734, 2.
Radice feritur 738, 1.
An vitem ledat 510, 1.
Quis major 760, 2.
Quis acrior 761, 1.
Quis dulcior 770, 2. 761, 1.
Quomodo dulcescit 761, 1.
771, 1.
An amarus 771, 1.
Sativus quando serendus 770,
1.
Agrestis an rusticanus 770, 2.
An rapistrum ibid.
An translatione grandior fiat
793, 2.
An rhabanticum Dioscoridis Rhaphanus & brassica yiti nocent
ibid.
Rhaberbarum seu rhabanticum Rhaphanus *κατ ιππον*, radix dicitur
an in Moscovia nascatur 802,
1.
Rhaphanus rusticanus an thlapsi
Cratevæ 768, 1.
Cur lachrimas excitat 785, 1.
Ejus descriptio 739, 2.
Est legitimus veterum ibid.
Rhaphani genera 760, 2.
Magnitudo 769, 1.
Radix 24, 2. 33, 2.
Descriptio ex Theophrasto
769, 1.
Genera Theophrasti ibid.
Corynthii descriptio 769, 2.
Cleonii descriptio ibid.
Sativi descriptio ibid.
Thasii descriptio ibid.
Nigri descriptio ibid.
Boetici descriptio 770, 2.
Armorarii descriptio ibid.
Rhaphanis ne culices noceant
793, 2.
μεταφλοιον 19, 1.
μεταφλοια an recte dicitur 19, 1.
μεταφλοιον quis 360, 1.
μεταφλοιον attici non *μεταφλοια* dixerunt 13, 2.
Unde dictum 390, 1.
μεταφλοιον morbus in vite 109, 1.
Rhododendri folia sursum eri-
gantur 6, 2.
Rhododendrum quid 46, 1. 124, 2.
Unde dictum 46, 2.
Non est perpetuo folio 124,
2.
Rhodone non est rhododen-
drum 47, 1.
- Adag., 702, 2.
Rhodonia quid 46, 1. 47, 1. 66, 1.
545, 2.
Rhododaphne quid 46, 1.
Unde dicta 46, 2.
Rhodaceum persicum quomodo
rubrum reddatur 127, 2.
Rhodora Plinii an regina prati
815, 1.
papaver erraticum 101, 2.
malum punicum ibid.
quid 1175, 2.
Rhus coronaria differt a culina-
ria 272, 2.
Rhus unde dicta ibid.
Ejus historia 273, 2.
Ejus genera quot 273, 1.
quid 461, 2.
Ribes nigra an amomum 1016,
2.
Ricinus 359, 1.
Unde dictus 1088, 2.
Aliquando in arborem altam
evadit 920, 1. 1089, 1.
Est illa planta quam Ionas
Propheta pro umbraculo
præparavit ibid.
Ricini folia 51, 1.
Folia nova orbiculata sunt,
antiqua angulata conspici-
untur 48, 2.
Oleum 614, 1.
Descriptio 1089, 2. 1088, 2.
Semen caputatia major ibid.
Ricini planta cur palma Christi
dicta ibid.
Rizia succns 967, 2. 969, 1.
Robetrum quid 552, 2.
Roboseum quid 26, 1.
Robur 17, 2. 19, 1. 23, 1. 24, 2.
28, 2. 18, 2. 122, 2. 138, 2.
367, 2. 368, 2.
Robur exalburnatum 26, 1. 519,
1.
Robur quid significat 151, 1.
An flores fert 129, 2.
Quando fructificat 130, 2.
Quæ & quot præter fructum
ferat 14, 2. 124, 2. 143, 1.
146, 1. 2.
Est perpetua naturæ, & cari-
em non sentit 521, 2.
Sub aqua diutissime durat
ibid.
In mari facile putrescit ibid.
Cur in mari non perduret 521
1.
Valide pondus sustinet.
Robur & quercus sunt diversæ
arbores 152, 2.

Earum

I N D E X

- Earum differentiae 153, 1.
 Robori galla proprium 6, 2.
 Roboris radix 24, 2. 26, 2.
 Folia 49, 2. 53, 1.
 Novelle cortex ad coria densanda 19, 1.
 Materies quando tempestive cædenda 511, 2. 512, 2.
 Quando cæsa facile putrescit 511, 2.
 Qualis materies 517, 2.
 Medulla qualis materies ibid. 531, 1.
 Robertus Constantinus est autor annotationum in Theophrastum 89, 1. 115, 2. 208, 2.
 Robus quid 934, 2.
 Robus triticum 957, 1.
 Robus triticum Zelandicum 936, 1.
Kode Denneboom 168, 2.
 Rodonia quid, 545, 2.
 immaturi mori fructus 401, 1.
 Roratio vitis quid 494, 2. 497, 2.
 Ros quando & quibus in locis abundat 322, 2.
 Ros aërius est mel apum 149, 1.
 An sit manna officinarum ibid.
 Rosa 545, 2.
 Unde dicta 646, 2.
 Quæ minutis foliis constat 12, 2.
 Ex Cairo 47, 2. 651.
 Memphitica 651, 1.
 Centifolia nostra an Theophrasti 647, 2. 648, 1.
 Est Herodoti 647, 2. 648, 2.
 Cur solis estum non patiatur 646, 2.
 E caule exit 74, 2.
 Caulicibus concisis nascitur 75, 1.
 Ex floribus vernalibus definit prior 695, 2.
 Canina an eglenteria 271, 2. 272, 1.
 Hierachontea 428, 1.
 De ea fabula ibid. 1016, 2.
 An amomum veterum ibid.
 An amomis ibid.
 Quando plantanda 649, 2. 650, 1.
 E semine difficulter provenit 649, 2. 643, 2.
 Relicta Sylvestris cur sit 648, 1.
 Quando plures & pulchiores rosas profert 650, 1. 643, 2.
 Usta vel præcisa melior evadit Rubus 545, 2.
- ibid: 643, 2.
 Per excellentiam flos dicitur 645, 2.
 Est regina florum ibid. 84.
 Cupidini est dicata 646, 1.
 Cupidini est comparata ibid: 646, 2.
 Libidini est comparata 646, 2. 646, 1.
 Humanæ vitæ est comparata 646, 2.
 Rosa Euomphalos dicitur 647, 1.
 Throna dicitur ibid.
 Viridis ut fiat 647, 2.
 Herbacea quando provenit ibid.
 Rosæ ætas 648, 1. 679, 2.
 Flos 64, 2.
 Flos noctu panditur, meridie flacessit, noctu folia amittit 715, 1.
 Majestas 645, 2.
 Encomium 646, 1.
 Color rubeus unde 646, 2.
 Color rubeus a sanguine Mahometis 647, 1.
 Semen 649, 2.
 Cortex quid Plinio 648, 2.
 Rosam transferre sæpius oportet 643, 2.
 Rosæ centifoliæ minima partcula germen emittit 73, 2.
 Ejus varietas 648, 1.
 Rosarum differentiae & genera 643, 2. 647, 2. 650, 1.
 Rosæ quæ odoratores 648, 1. 2.
 643, 2.
 Quando odoratores 648, 2.
 Ubi odoratores ibid: 649, 1. 643, 2.
 Rosaceus color 552, 2.
 Rosmarinus 369, 1. 558, 2.
 Unde dictus 559, 1.
 Quando seritur ibid.
 Est libanotis 560, 1.
 Coronarius est libanotis 1091, 2.
 Bis quotannis floret 560, 1.
 Aniphion 669, 2.
 An cneoron nigrum 560, 2.
 Rosmarini fabula 559, 2.
 Flos 560 dictus ibid.
 Descriptio 560, 1.
 Duo genera ibid: 1070, 1.
 Differentiae 560, 1.
 Oleum tenué, tempore durescit 1003, 1.
 Rubigo 959, 2.
 Vires adversus fascinationes 799, 1.
 Semen 795, 2.
 Notæ ex Theophrasto 797, 2.
 Ex Dioscoride ibid.
 Magnitudo mirabilis ibid.
 Genera 798, 2.
- Rubus salicæ 271, 1.
 Rubus cynasbatus unde dicta ibid: 271, 1.
 Ejus descriptio 271, 2.
 Rubus sentis unde dicta 269, 2.
 im Vepres unde dicta 270, 1.
 Mosolitica 987, 1.
 Idæa 270, 2.
 Rubi folia 49, 2. 63, 1.
 Genera quot 266, 2. 270, 1.
 Descriptio 270, 1.
 Rubia 456, 2.
 Rubiæ descriptio 1111, 1. 2. 1114, 1. 2.
 Rubia unde dicta 1113, 2.
 Cur varantia dicta ibid.
 Ruellii error 698, 2. 1009, 1.
 Rustus color 241, 2. 664, 2. 698, 1.
 Ruminantia quæ 176, 2.
 Rumex lapathum 800, 1.
 Rumicis semen 795, 2.
 Radix 24, 2. 737, 2.
 Ruscus quid 601, 1.
 Multa spuria nomina habet 256, 1.
 Arcendis muribus est apta 257, 2.
 Ejus descriptio 257, 1.
 Est myrtus sylvestris 255, 1.
 Russus & russeus color 1175, 2.
 Russi ex quibus domus & templo conficiunt 535, 2.
 Rustici quando solstitium consequunt intelligunt 48, 2.
 Rutha 545, 2.
 Cum maledictione seritur 752, 2.
 Quando seritur 736, 2.
 Primum pullulans non est ingratis odoris, contra adulta 799, 1.
 Rutha Muraria 881, 2.
 Ejus descriptio 882, 1.
 An sarxiphagum 882, 2.
 An paranychia ibid.
 Rutha pratensis an hermala 799, 1.
 An sylvestris prior Dioscoridis ibid.
 An pseudorhabarbarum ibid.
 An talietrum ibid.
 Ruthæ folia 48, 2.
 Vires adversus fascinationes 799, 1.
 Semen 795, 2.
 Notæ ex Theophrasto 797, 2.
 Ex Dioscoride ibid.
 Magnitudo mirabilis ibid.
 Genera 798, 2.

Radix

- Radix moly dicta, ejus venenata qualitas 798, 2.
 Rutha unde dicta 797, 2.
 Lubidinosos frenat 797, 2.
 Cohibet, extinguit, & condensat semen 797, 1.
 Uterum gerentibus est inimica ibid.
 Quomodo sanguinem sistat 1119, 2.
 Sylvestris & domestica in quo differunt 798, 1. 2.
 Sylvestris hermela dicitur ibid.
 Ejus descriptio 798, 2.
 Fimum odit 793, 2.
 Est antidotum aconite 1141, 2.
 Ruthrum quid 543, 2. 611, 2.
 Quæ planta 612, 2.
 Rutilus color 213, 2.
- S.
- Saba unde dicta 977, 2.
 Est regio thurifera ibid.
 quid 104, 2.
 Sabina 124, 2. 196, 2.
 An brutha vel bruthus 374, 2.
 cur dicta 373, 2.
 Est duplex ibid. 375, 2.
 Quomodo herba dicitur 374, 1.
 Olim diis sacrificata ibid.
 Ejus descriptio 375, 1.
 Quomodo seritur 559, 1.
 An juniperus major 375, 1.
 Est perpetuo folio 124, 2.
 Surculo sata sterilis est 375, 1.
 Cypressi folio an thya ibid.
 An cypreffum Diosc. ibid.
 An thya Theophrasti 525, 1.
 Bellonii 375, 1.
 Sabulones quid 37, 1.
 Sacar mambu 481, 1. 2.
 Ejus descriptio ibid. 483, 1.
 Sacchar Indi quomodo sit 482, 2.
 Saccharum mambu est veterum facar 483, 1.
 Saccharum vulgare an est veterum 482, 1. 2.
 In quibus differunt 482, 1.
 483, 1.
 Veterum quid 482, 1.
 An sitim excitet 483, 1.
 Rubrum 484, 1.
 Ejus usus ibid.
 Quod optimum ibid.
- Tomæum salubrius finali 484, 1.
 Saccharum cantum unde dictum 484, 2.
 Candidum corrupte dicitur ibid.
 Candiis unde dicitur ibid.
 Quomodo fit 485, 1.
 Est duplex ibid.
 Saccharum tabaxir vel taberzet 485, 2.
 Purpureum vel violaceum 485, 1.
 Penidium 485, 2.
 Althææ 1155, 2.
 Sacerdotum vestimenta 427, 2.
 Sacerdotes cur lincis vestibus utuntur 944, 1.
 Sacra herba que 465, 2.
 Sacrificandi antiquus modus 523, 2.
 Sagapenum 583, 1.
 Sagittæ creticæ 479, 1.
 Sagittæ ex ligno cornii 193, 1.
 Sagittæ ut letalia vulnera infligant 47, 1.
 Sal Indicum quid 484, 2.
 Salentina oliva 315, 2.
 Saljunca 1019, 2.
 An nardus celtica 1020, 1.
 An cynorodus ibid.
 An rosa agrestis ibid.
 An nardus montana 1021, 1.
 Salix 15, 2. 17, 2. 19. 122, 2. 123
 1. 124, 2. 138, 2. 540, 2.
 Semen fert 14, 2.
 Cur frugi perda dicitur 118, 2.
 119, 1.
 Quando germinat 130, 2.
 Unde dicta 212, 2.
 Helice cur dicta 213, 1.
 Amarina 264, 2.
 Palustria amat 283, 2.
 Ubi nascitur 454, 2.
 Ad quæ utilis 534, 2.
 Quomodo longæva 490, 2.
 A flatu prostrata resurgit & germinat 505, 2.
 Syriaca an helianthus 461, 1.
 Salicis materies 518, 2. 520, 1.
 Usus 213, 1.
 Genera 206, 2. 207, 2. 212, 1.
 Descriptio 206, 2.
 Semen sterilitatem inducit
 dicuntur 51, 2.
 Folia 52, 2.
 Folia quando se convertere
 dicuntur 51, 2.
 Salomonis locus de hysopo ex-
 plicatur 727, 1.
- Salsa parilla an smilax aspera
 281, 1.
 Salviæ varia nomina 571, 1.
 Genera duo Theophrasto ibid.
 Genera plura & descriptiones 572, 2.
 Salvia & sphacos quomodo dif-
 ferunt 550, 2.
 Salvia vitæ 881, 2.
 Salvia pomifera 573, 2.
 Salutem ægri quomodo prædictit
 urtica 815, 2.
 Samara ulmi semen 215, 1.
 Sambucus 18, 2. 41, 2. 205, 2.
 An medulla caret 24, 1. 25, 1.
 23, 1.
 An nodosa 42, 1.
 Quando germinat 130, 2.
 Unde dicta 210, 1.
 Quomodo longæva 490, 2.
 Sambuci materies qualis 517, 2.
 Baccæ usus in sacrificiis 212,
 1.
 Caudex 206, 2.
 Folia 211, 1. 206, 2.
 Fructus 206, 2.
 Cortex 206, 2.
 Flos 206, 2.
 Aqua ex floribus sambuci cal-
 culum frangit 207, 2.
 Genera 210, 2. 213, 1.
 De scriptio 206, 2. 211, 1.
 Radices 206, 2.
 Sampsuchum 545, 2.
 Quomodo nascitur 678, 2.
 Ubi optimum 688, 2.
 An majorana 689, 1.
 An amaracus 687, 2.
 Ejus radix 688, 1.
 Sandix an rubia 1114, 1.
 Sandix unde fiat 329, 1.
 Sanicula foemina Fuscy an helle-
 borus niger 1065, 2.
 Sanitas agrestis parietaria dicta 816, 2.
 Santalum an aloe biblorum 835,
 1.
 Santalum rubrum 1027, 2.
 An aspalathus ibid.
 Antiquis Græcis incognitum 835, 1.
 Santali an abaotanum foemina 685, 1.
 Ejus genera ibid. 2.
 An polium 685, 2.
 Santonicum an sefa Arabum 1151, 1.
 An sementina 1151, 2.
 An arthemesia monoclonia ibid.
 San-

I N D E X.

- Santonici semen satum, tanaceti
genus profert 1151, 2.
Sapinus quid 169, 1. 514, 2.
Sapinus & suppinus differunt
169, 2.
Sapinea quid 169, 1. 170, 1. 529, 2.
Saponaria unde dicta 700, 2.
An alisima ibid.
Eius descriptio ibid.
Sapor acris 61, 2.
Acutus ibid.
Diversus arboris & fructus 61,
2.
Dulcis quomodo in corpore
calorem immoderatum ex-
citare potest 1144, 2.
Plantarum qualis 964, 2.
Saporis discrimen unde 61, 1.
Saporatus succus quis 60, 2.
Saraceni error 1085, 1.
Sardonia herba 576, 1.
Sari ubi provenit 424, 2.
Descriptio & usus ibid.
Planta Ægypto peculiaris 430,
1.
Non est papyrus Italiæ 436,
1.
Sarissa quid 193, 2.
Sarissæ macedonicæ 190, 2. 192, 1.
Sariphagum an rutha muraria
882, 2.
Sationis tempus 633, 2.
Sationis hybernæ principium 73,
1. 2.
Satio hyberna quando 908, 2.
Secunda primovere ibid.
Serotina mensis Februario ibid.
Sera quæ 909, 1.
Matura quæ ibid.
Autumnalis & hyemalis quæ
909, 2.
Æstiva quæ ibid.
Pro loci natura est instituenda
ibid.
Densa aut rara quando conve-
nit 939, 2.
Sationi imber superveniens qui-
bus prodest ibid.
Satureia 546, 1.
Quando provenit 731, 2. 732, 2.
735, 1.
Satureia & thymbra differunt
735, 1.
Satureiæ semen 549, 2.
Est firmius ad perdurandum
797, 1.
Saturnus cur stercorarius dictus
110, 1.
Satyron unde dictus 1170, 1.
Eius descriptio 1170, 1. 2.
- An cognitus recentioribus Schœnanthum 1007, 2.
1170, 2.
Satyron erythronius an bangi
herba 1170, 1.
Eius descriptio Adversariorum
1171, 1.
An buterides Syriorum ibid.
An Dens caninus ibid. 697, 2.
An tulepa 1171, 1.
An orchis 1158, 2.
An satyron basilicum palma
Christi dictum 1158, 2.
Σανέη 817, 2.
Σανέη quæ herba 765, 1.
Nasturtium sic dictum 764, 2.
Cur sic dictum 765, 1.
Σανείδον quæ herba 765, 1.
Σανείνη anagallis dicta 817, 2.
Saxifragæ duo genera 694, 2.
Descriptio ibid.
Non sunt veterum ibid.
Saxifraga aurea ibid.
Scabiosa arietina 840, 2.
An phyllanthes ibid.
An pheutuma Diosc. ibid.
Scabiosæ folia 49, 2.
Scabies arborum quando fit 494,
2.
Scalia 613, 2.
Scaliger notatur 1033, 2.
Scammonia 367, 2. 964, 2. 1179, 2.
Scammonium ipsa planta 1053,
1.
Scammonia lachryma plantæ
ibid.
Scammonii descriptio 1053, 2.
1054, 1.
Extrahendi succi modus 1054,
2.
Dilectus 1055, 1.
Dosis 1055, 1. 2.
Cur aliquando plus, minusve
purget 1155, 2.
Scammonium Syriacum 1054, 1.
Montspelienium 1054, 2.
Scammonium si prope tithyma-
lum seratur veneni naturam
acquirit 1055, 2.
Scandix an peccatum veneris 862, 1.
Σκαπεῖον 543, 2.
Scarlate 238, 1.
Scædæ unde dictæ 435, 1.
Scepturn quid 464, 1.
Σχινόν. 1. lentiscus unde dictus
230, 2.
Scillam significat 860, 1.
Scillam & lentiscum significat
487, 1. 875, 1.
Σχονία quid 46, 1.
Σχωνόν unde dictus 478, 1.
- An calamus 1006, 2.
An juncus odoratus 1008, 2.
Schœno prasium an ampelopra-
sium Dodonæi 791, 2.
Scilla & asphodelus quomodo
florent 874, 2.
Scillas sepulchro evellere Adag.
873, 2.
Scilla per contemptum impete-
bant 873, 2.
Scilla 854, 2. 15, 2.
An inter bulbacea referenda
859, 2.
An plures habet radices 873,
1.
An & quomodo ter floret
874, 2. 875, 2.
An semine proveniat 738, 1.
An frigida an calida 874, 1.
Unde dicta 873, 1.
Est longæva suspensa 873, 2.
Punica mala servat ibid.
Ad nascendum conductit ibid.
Venifica arcet 865, 2. 873, 2.
Infans curat 874, 1.
Quando caules producit 53, 2.
Caulem & florem ante folia
producit 874, 2.
Ternos florum proventus o-
stendit ibid.
Sementis successum ostendit
ibid.
Fœmina an pancratium 875, 2.
Epimedæ an hemerocallis
895, 2.
Scilla radix 33, 2.
Folia 49, 2. 865, 2.
Flores 865, 2.
Flores serendi tempora osten-
dunt ibid.
Arationis tempora tria osten-
dunt 875, 1.
Flos anthericus dictus 873,
2.
Genera quot 875, 2.
Descriptio 873, 1.
Nivale caput 874, 1.
Semen ibid.
Scilliticum acetum an purgandi
vim habet 874, 1.
Σκιρροφωλία mensis quis 136, 1. 2.
540, 2.
Scirpus quid 464, 1.
Scissimæ descriptio 159, 2.
Materies quando cedenda
511, 2. 512, 2.
Scissima humidissima 533, 2.
Ad quæ utilis 534, 2.
Σκιτιψ animal pennatum 501, 1.

Scobs

I N D E X.

- Scobs quid 535, 1.
 Scolastes Nicandri error 874, 1.
 Scolastes Nicandri corrigitur Scriptionis varia materia 435, 1.
 176, 2. 194, 2. 216, 2. 217, 1.
 261, 2. 264, 2. 265, 1.
 Scolopendra 416, 2.
 Scolopendrum Thcophrasti an Scrophularia an galeopsis urtica phyllitis 1164, 2.
 Unde dictum ibid.
 Scolopendra & scolopendrum sunt diversa 1162, 2.
 Scolymus 588, 2.
 Unde dictus 619, 1.
 Scolymi genera quot 620, 1, 2.
 Radix optima quando floret 619, 2.
 Scolymus diu floret 612, 2.
 Famem arcet 619, 1.
 Limonium cur dictum 620, 1.
 Theophrasti & Dioscoridis an Scoticum lignum an glycyrrhiza eadem 619, 2.
 Venerem excitat 620, 1. 843, 2.
 An artococca 620, 2. 621, 1.
 Quando floret fœminæ in venerem sunt pronæ, viri pi- giores 620, 1.
 Theophrasti an carduus chrysanthemus 620, 2.
 Est cinera 621, 2.
 Σπαρτον spartum 22, 1, 2.
 Scopa regia 257, 2.
 Scordalus quid 789, 1.
 Scordium unde dictum 791, 2.
 Afa fœtida dictum ibid.
 Optimum 792, 1.
 Cretense an scorditis Plinii 792, 2.
 Scordii descriptio 792, 1.
 Cretenis descriptio ibid.
 Vires 792, 2.
 Scorditis quæ planta ibid.
 Scordorarum quid 592, 1. 792, 1.
 Quæ planta 791, 2.
 An scordium ibid.
 Scorodonia Cordi an salvia 573, 1.
 Scorpio 545, 2. 547, 2. 600, 1.
 Unde dictus 1153, 2.
 Scorpiones an arte ex ocymo generari possunt 756, 2.
 Scorpius 582, 2. 605, 1.
 Theophrasti an genista 605, 1.
 Scorpius & nepa differunt 605, 1.
 Scopii duo genera 605, 2.
 Scorpioides an heliotropium 891, 1.
 Scorpiurus heliotropium dictum 890, 1.
- An climentum 892, 2.
 Scribonii error 553, 1.
 Scrobs quid 88, 1.
 Scrophularia chelidonia minor 894, 2.
 Scrophularia an galeopsis urtica 816, 1.
 An ocymastrum Fuscii 758, 2.
 Silicia fertilis valde 913, 2.
 Diutissime viret 759, 1.
 Ejus descriptio 758, 2.
 Scrupulus pondus medicum
 quot grana pender 292, 2.
 Est vigesima quarta pars unciae 293, 1.
 Scutum quid 350, 1.
 Differt à clyplo ibid.
 Scuta ex quibus siebant 518, 2.
 Scytica radix est glycyrrhiza 1104, 2. 1105, 1.
 ibid. 1094, 2.
 Sitim & famem tollit ibid. 1093, 2.
 Luteo colore tingit capillos 1105, 1.
 Sebesten est mixa 317, 1.
 Secacul an sigillum Salamonis 1067, 2.
 Secala 43, 1.
 Secale an typha 956, 1.
 An briza ibid.
 Est duplex ibid.
 Ejus descriptio ibid.
 Securidaca 950, 2.
 Securina 947, 2.
 Sedum arborescens 335, 1.
 Sedum aquaticum 436, 2.
 Seges quid 558, 1.
 Seges & arvum quomodo diffe-
 runt 1102, 1.
 Seha Arabum an absynthium san-
 tonicum 1151, 1.
 Ejus descriptio ibid.
 Σεπός quid 88, 1.
 Selinum unde dictum 802, 2.
 Comitiales offendit 803, 1.
 Semen omne non est in caule 7, 2.
 Omne simile genus perficit 78, 2. 79, 2.
 Omne propter generationem est 117, 2.
 Diversimode continetur 914,
 2.
 Calorem & humorem insitum
 habet 54, 2. 56, 1.
 Aut carne aut cute obducitur 56, 1.
 Nudum quid 58, 2.
- Optimum quid 1122, 2.
 Plantarum an in aëre conti-
 neatur 118, 2. 119, 1.
 Quod ad fermentem optimum 962, 1. 963, 1.
 Quod aptum transire in aliud 947, 2.
 Quando infœcundum fit 54, 2.
 56, 1. 962, 2.
 Fervefactum perit 962, 2.
 Palmæ est ipsum osseum cor-
 pus 56, 2.
 Semen pusillum quæ gerunt, co-
 piose fructificant 914, 2.
 Semen & fructus quæ sua na-
 tura distantia solent evenire,
 ob soli ubertatem congesta
 fiunt 57, 1.
 Seminis & fructus differentia 8, 2.
 Veteres aliquando confundunt
 ibid.
 Seminis generatio quomodo fiat 58, 1.
 Principium 93, 1.
 Seminum ætas ad celeriorem aut
 teriorem proventum facit 732, 2. 741, 2.
 Figura diversa 740, 2.
 Vitia & rubigo 959, 2.
 Differentia 54, 2. 56, 2.
 Extremum tegumentum quo-
 modo dividendum 56, 1.
 Seminum & fructuum varia
 compositio & usus 58, 1.
 Incrementum unde 948, 1.
 Maturatio unde 946, 2. 948, 1.
 Translatio quomodo fieri de-
 bet 946, 2.
 Translatio quando fieri debet 950, 1.
 Semine an planta ferere quid præ-
 stat 682, 2.
 Semina quando serius aut matu-
 rius prodeunt 732, 2.
 An subfuscata ut maturius
 proveniant 735, 1.
 Eodem modo sata cur tardius
 vel maturius proveniant 735, 2. 732, 2.
 Quæ & quomodo maxime læ-
 duntur 959, 2.
 Alia filique inclusa sunt, alia
 nuda adhærent, alia lanugi-
 ne obducuntur 741, 2.
 Arborum non sunt nuda 55,
 2.
 Quædam multa ab uno pedi-
 culo, quædam singula à sin-
 gulis 57, 1.

I N D E X.

- Pista si serantur, nunquam ger-
 men emittent 83, 1.
 Ratione locorum & tempo-
 rum mutantur 82, 2.
 Herbarum in imbribus & a-
 quæ ductibus esse creduntur
 118, 2.
 Indiae propria 347, 2.
 Peregrina ad vernacula re-
 deunt 949, 1. 946, 2.
 Cultura aut natura terræ, vel
 meliora vel pejora fiunt
 947, 2.
 Quæ terræ macræ aut pingui
 conveniunt 940, 2.
 Quæ cuique agro conveniunt
 939, 2.
 Lanugine obducta infœcunda
 fiunt 941, 1.
 Ne à bestiolis lœdantur 794,
 2.
 Quæ firmiora aut infirmiora
 ad perdurandum 795, 2. 796,
 1.
 Odorata magis durant 797,
 1.
 Acris saporis perdurant ibid.
 Quam diu durant ad semen-
 tem ibid.
 Quam diu ad cibarium usum
 ibid.
 Quæ minus corruptioni sunt
 obnoxia ibid.
 Quæ & quomodo perdurare
 possunt, quæ minus 960, 2.
 Antiqua cur minus idonea
 797, 1.
 Hortensia & sylvestria in quo
 differunt ibid. 796, 2.
 Sylvestria sicciora & acriora
 ibid.
 Vapida quæ 796, 1.
 Infirmitiora quamdiu durare
 possunt ibid.
 Qua parte pullulant 910, 2.
 911, 1. 2.
 Translata mutantur 913, 2.
 Seminalis caro quid & ejus diffe-
 rentia 56, 2.
 Sementis quot tempora 908, 1.
 Sementis duo tempora, & quan-
 do incipiunt 906, 2.
 Sementis tempora quando de-
 nominantur 733, 1. 2.
 Sementes tres & quando 731, 2.
 Sementes non ratione satus, sed
 ortus dicuntur 731, 2. 732, 2.
 733, 1.
 Semperivum unde dictum 893,
 2.
- Marinum 199, 1.
 Legitimum magnum Dio-
 scoridis non fert aëris fri-
 gus 896, 1.
 Magnum alterum apud nos
 frequens ibid.
 Cur donderbaert dictum ibid.
 Minus diligenter distinguen-
 dum 897, 1.
 Tertium Dioscor. an illecebra
 897, 2.
 Cur durabile 883, 2.
 Ubi nascitur ibid.
 Semperivi folia 48, 2.
 Varia nomina 895, 2.
 Genera quot ibid.
 Majoris descriptio ibid.
 Minoris descriptio & genera
 896, 1.
 Magni descriptio 896, 1.
 Senecio 842, 2.
 Unde dicta 811, 2.
 Quomodo diu floret 824, 1.
 Cardancella unde dicta ibid.
 Erigerum cur dicta ibid.
 An inter cichoracea numeran-
 da 811, 2. 812, 1. 824, 1.
 Dentium dolorem tollit 824,
 2.
 Ejus descriptio 824, 1.
 Senecæ codex corrigitur 501,
 2.
 Senecta plantarum 7, 2.
 Communis corruptio 82, 2.
 Reddit plantas steriles ibid.
 Senectæ definitio 8, 1.
 Initium 8, 2.
 Senectus matura 136, 2.
 Senna cur alexandrina dicta
 1018, 1.
 Senna non est colytea Theo-
 phraesti 250, 1.
 Sentis canis unde dicta 270, 1.
 Ejus fructus quomodo anti-
 quitus colligendus 1041, 2.
 Sepulchra defunctorum olim
 floribus & coronis sperge-
 bant 717, 2.
 Serapionis codex corrigitur 198.
 1. 509, 1.
 Serapionis error 257, 1.
 Serapio & Dioscorides conci-
 lianturn 509, 1.
 Serapis Idolum Ægyptiorum
 1158, 1.
 Serendi tempora quot 733, 1.
 865, 2.
 Tria ostendunt flores scillæ Serpillo proprium quoddam in-
 crementum 678, 2.
 Serpilli vulgaris genera 695, 1.
 Duo genera 692, 1. 2.

I X N I D I E I X

- Descriptio Dioscoridis 692, 2.
Descriptio vulgaris 693, 2.
Servii error 307, 2. 576, 1. 1021, 2.
Servi impuberes carius venduntur 711, 2.
Serta quid 20, 1. 717, 2.
Sesamo & papavere sparsum quid 920, 2.
Sesamoides minor 762, 1.
Ejus descriptio ibid.
An helleborine Theophrasti 1068, 2.
Sesama 953, 2.
Sesamum 941, 2. 959, 2.
Sesami nomine plures gaudent plantæ 920, 1.
Sesami oleum 920, 2.
Descriptio ibid.
Satio 959, 2.
Sesamum unde dictum 920, 2.
Inter condimenta locum habet ibid.
Vulgare an veterum ibid.
Quot diebus perficitur 913, 2.
Sesaminum lignum 359, 1.
An lignum ricini 1089, 1.
Sefeli 1117, 2.
Ejus genera quot 1125, 1.
Sefeli partus juvat 1124, 2.
Sefeli Aethiopicum 1092, 1. 1125, 2.
An libanotis Theophrasti 1092, 2.
Aliud herba aliud frutex 1126, 1.
Fruticis descriptio ibid.
Ejus descriptio 1125, 1.
Sefeli creticum est duplex 1126, 1.
Utriusque descriptio 1125, 2. 1126, 1.
An meum 1126, 1.
Cur tordylium dictum 1125, 1.
Sefeli massiliense 1125, 1.
Nuperorum an siler montanum 1126, 1.
Folio foeniculi ibid.
Ejus genera 1126, 1.
Ejus descriptio 1125, 1.
Sefeli Peloponense 1126, 1. 1125, 1.
An tapsia Clusii 1126, 1.
An habeatur ibid.
Ejus descriptio 1125, 1.
 $\Sigma\eta\zeta$ tinea 528, 1. 1074, 1.
 $\Sigma\eta\zeta$ vermis 528, 2.
 $\Sigma\eta\psi$ parvus serpens unde dictus 1074, 1.
 $\Sigma\eta\psi$ 530, 2.
- Seulomachium an spinatia 778, 1.
Siliquæ majoræ an plura scmina habent 939, 1.
Siliquæ unguentariæ descriptio 299, 2.
An sit glans unguentaria ibid.
Silpha insectum quod 589, 1.
Silphi regio quam longa 587, 2. 588, 2. 595, 2.
Silphium radix laserpitii 589, 2. 590, 2.
Silphium ubi nascitur 596, 2. 1. 599, 1.
An culturam admittat 596, 1. 597, 2.
In incultis copioso abundat succo 596, 2.
Inculta amat non deserta 599, 1.
In magno est prætio ibid.
a pecudibus appetitur ibid.
An tempore Plinii desperatum 599, 2.
An imperatoria 597, 1.
Silphi an duo genra 593, 2. 597, 2.
Planta cur $\Phi\alpha\tau\alpha'\epsilon\alpha\mu\alpha$ κάκωμον dicta 594, 1.
Succus cur præparetur 595, 1.
Qualis ejus color ibid.
Maturitatis indicium ibid.
Semen folium dictum 597, 1.
Silibus an leucographus 603, 1.
An carduus Mariæ ibid.
Simulachra quando sudare videntur 541, 2.
e cœlo dimissa antiqui crede bant 526, 2.
Ex quibus conficiebantur 518, 2. 521, 2. 539, 1. 541, 2. 544, 2.
Simon Sethi & Dioscorides ciliantur 1002, 2.
Sinapi unde dictum 796, 2.
An oculos laedit ibid.
Quando provenit 731, 2. 734, 2.
In rapum degenerat 772, 1.
Sinapi & napum non sunt diversæ plantæ 735, 1.
Sinapi genera 797, 1.
Noiz ex Theophrasto 796, 2.
Semen quod optimum 797, 1.
Semen vetus an inutile 796, 2.
Semen est firmius ad perdu randum 797, 1.
Sinapi si in ollam conjiciatur, brevi carnes & legumina percoquit 83, 1.
Sion aquaticum 692, 1.
Unde dictum ibid.

Ejus

I N D E X.

- Ejus descriptio ibid.
 Sion sisimbricum 690, 1.
 Sifar vulgare an sisarum 1123, 2.
 Sisarum unde dictum 1123, 2.
 Quomodo scriitur ibid.
 An elaphoboscum 1142, 1.
 An sisar 1123, 2.
 Sisymbrium 545, 2.
 Ex semine nascitur 683, 1.
 Unde dictum 690, 1.
 Veneri dicatum ibid.
 In mentam quando mutatur
 690, 2. 771, 2. 81, 2. 82, 1.
 An in calamitatem mutetur
 690, 2.
 Dioscoridis est sylvestre The-
 ophrasti ibid.
 Sisymbrii quot genera 690, 2.
 Veri descriptio 691, 1.
 Sylvestris descriptio ibid.
 Cardamines descriptio ibid.
 Sitim & famem sedat malva 825,
 2.
 Sedat glycyrrhiza 1043, 2.
 1106, 2.
 Sedat acetosa 801, 1.
 Sedat alimum medicamentum
 825, 2.
 Smarea 546, 2.
 Smegma quid 1176, 1.
 Smilax 124, 1. 234, 2. 235, 1.
 Est perpetuo folio 124, 1.
 Smilax aspera 280, 2.
 Ejus descriptio ibid. 234, 2.
 An sit salsa parilla 281, 1.
 Smilax arcadica non est taxus
 177, 1.
 Coronaria 176, 1.
 Deleteria 175, 2.
 Iligna ibid.
 Coronis addebatur 179, 1.
 Est hedera cilicia ibid.
 Hortensis an dolochus 926, 1.
 Hortensis descriptio 926, 1.
 Smilacis genera 279, 1. 53, 1.
 Vocis significatio 278, 2.
 Folia 49, 2. 52, 2.
 Lævis descriptio 64, 1.
 Smilax lævis Dioscoridis an con-
 volvulus 64, 1.
 Smyrnium 16, 2. 59, 1.
 Unde dictum 805, 2.
 An duplex ibid.
 Dioscoridis an hippocelinum
 Theophrasti 804, 2. 805, 1.
 Non est olusatrum 805, 2.
 Non est hippocelinum ibid.
 An astrantia 807, 1.
 An macarone ibid.
 An myrrhis 807, 2.
- Adversariorum an veterū ibid. Sorbi genera & descriptio 191, 2.
 204, 1. 205, 1.
 Smyrnii folia 51, 2.
 Descriptio 805, 2.
 Soboles quid 18, 1.
 Solanum multa spuria nomina
 habet 817, 1.
 Solani genera quot 1076, 2.
 Genera valde discreta 883, 2.
 Genera Theophrasto 1069, 2.
 Solanum maniacum primum
 Dioscoridis est mandragora
 Theophrasti 585, 1.
 Est belladona ibid.
 Solanum quod ad tempus infas-
 nire facit 1070, 2.
 Ejus dosis pro ratione malisici
 ibid.
 Solanum maniacum 1078, 1.
 Θεοφραστος cur dictum ibid.
 Ejus varia nomina ibid.
 Ejus facultas varia 1078, 1, 2.
 An stramonium ejus species
 1079, 1.
 Solanum mentem turbat 1172, 2.
 1173, 1.
 Solanum somniferum 1069, 2.
 Ejus descriptio 1077, 1.
 An belladona ibid.
 Solanum struchnon cur dictum
 1076, 2.
 Solanum hortense 1076, 2.
 Ejus descriptio ibid.
 Soldonella sola vita sustineri po-
 test 775, 1.
 Solini error 1183, 1, 2.
 Solis calor quando augescit ra-
 dices 37, 1, 2.
 Solum conveniens unicuique
 plantæ tribuatur 85, 2. 87, 1.
 Solum & cœlum diversitatem in
 plantis pariunt 16, 2. 22, 1.
 907, 2. 528, 2.
 Soli & cœli diversitas quantum
 facit ad fructus perfectionem
 932, 2. 936, 1. 960, 2.
 Solstitium quando dicitur suisse
 48, 2. 51, 2.
 Sonchus 588, 2.
 Unde dicta 856, 2.
 Aspera an hypocheris 856, 2.
 Est cicerbita ibid.
 Sonchi duo genera 857, 1.
 Sophia an thalictrum 800, 1.
 An absynthium serephium
 1150, 1.
 Sorbus 138, 2.
 Loca frigida querit 77, 2.
 Ut fructificet 93, 2.
 Non est crategon 233, 2.
 Tormentalis cur dicta 204, 2.
- Sorbi morbus est vermis pecu-
 liaris 193, 2.
 Sorbi & corni fructus sylvestres
 sunt meliores, dulciores, &
 majores 120, 2. 121, 1, 2. 194,
 1, 2.
 Sorgum an milium Indicum
 929, 1.
 Σπάριξ & καρπός differunt 8, 2.
 Sphacelismus 961, 1.
 Sphacelismus arborum quid 494,
 2. 495, 1. 496, 1.
 Sphacum non est stachys altera
 671, 2.
 Sphacelus 546, 2.
 An scordei genus 792, 1.
 Sphacos & salvia quomodo dif-
 ferunt 550, 2.
 Sphacos Theophrasti est salvia
 minor 573, 1.
 Sphaerocephalon an χαλκεού 612,
 2.
 Spartum, & ejus variæ significa-
 tiones 19, 2. 20, 1.
 An genesta ibid.
 Quid Homero ibid.
 An antiquis notum ibid.
 An ejus meminit Theophras-
 tus ibid.
 An ex eo lina & retia siebant
 20, 1.
 Spartum herba & frutex est 20, 2.
 Herbam novit Varro & Colu-
 mella ibid.
 Utrumque novit Galenus ibid.
 Quod Dioscorides 23, 1.
 De sparto Plinii sententia 20, 2.
 Pro cœli solique ratione variat
 22, 1.
 Spartum frutex & genista plantæ
 diversæ 22, 2.
 Quomodo ἀφυλλα dictum
 Dioscoridi ibid.
 Αμπελοστάχεια 22, 1.
 Spartum herbam & fruticem di-
 stinguit Palladius 21, 2.
 Spartum herba an antiquis cog-
 nita ibid.
 Spartum Hispanicum sive vete-
 rum an seratur 21, 2.
 Quomodo Plinius vocat ibid.
 Eundem usum habet quem ve-
 terum ibid.
 Vetus nomen obtinet ibid.
 Usus in Medicina 21, 1.
 Sparti fruticis descriptio 22, 2.
 Ejus semen purgat per supe-
 riora 22, 2.

I N D E X.

- Sparti herbæ icon & descriptio 21, 1.
 Non est ἄκαρη, nec ἄκαρπον,
 nec ἀφυλλόν 21, 1.
 Alterius herbæ descriptio ibid.
 Ejus usus 21, 2.
 Batavici descriptio 21, 1.
 Spartum batavicum **halm** aut **helm** dicitur ibid.
 Spartarius campus 21, 2.
Σπαρτὸν λίνον an linum sativum
 21, 1.
Σπαρτῆς & σπαρτῆς etymon ibid.
 An græca an phœnica vox 20, 2.
 Spadix quid 104, 2.
 Spatula foetida est hyacinthus
 Poëtarum 712, 2.
 Ejus flos tingit eleganti pur-
 pura ibid.
 Est lineis discurrentibus velut
 litteris ibid.
 Est iridi similis ibid.
 Unde dicta 713, 1.
 An Xiris ibid.
Σπάρη plures habet significatio-
 nes 103, 2.
 Dioscoridis 104, 1.
 Galeni ibid.
 Theophrasti 104, 2.
 Icon 104, 1.
Σπάρεια quid botanicis, quid aliis
 20. I.
Σπέρμω quid significat ibid.
Σπάριων qui 140, 1. 142, 1. 146, 1.
Σπεργία unde dictum 548, 1.
 Qualis planta ibid.
 An viburnum ibid.
Σπενδαμόν 183, 2.
 Spica quid 789, 1. 2. 925, 2.
 Quid in frumentaceis 930, 2.
 Spica calista quid 662, 1.
 Non est croci bulbus 662, 2.
 Est crocus 663, 1.
 Spica & nardus an idem 1019, 1.
 Spicæ oleum 1017, 2.
 Spigelii error 8. 1.
Σπάλη quid 359, 1.
 Spina arbor 303, 2.
 Ejus descriptio & genera ibid.
 Ægyptia 305, 1. 964, 2.
 Ejus humor 965, 2.
 Arabica 305, 1.
 Spina thebaica 307, 1.
 Alba bedeguart 609, 1.
 An Dioscoridis ibid.
 Solstitialis 612, 1.
 Ejus descriptio ibid.
 Foliis seridis 612, 2.
 Spina alba alexipharmaci loco
 259, 1.
- An rhamnus ibid.
 An oxyacantha ibid.
 An paliurus ibid.
 Est duplex ibid.
 Spina sine folio 348, 2.
 Ejus succus cœcitatatem infert
 ibid.
 Spinarum differentiae 589, 2.
 Spinosæ rosæ cur magis odoratæ
 648, 2. 649, 1.
 Spina candida 588, 2.
 Ceanothes 454, 2.
 Sitiens vel diphas 417, 2.
 Ixina 964, 2.
 Herculea 347, 2.
 Ex hac lachryma myrræ simi-
 lis ibid.
 Hirci 964, 2.
 Appendix dicta 263, 1.
 Indica 964, 2.
 Acuta quando germinat 130,
 2.
 Quando fructificat ibid.
 Salvatoris Christi qualis 258, 2.
 Spina an corticem disruptam
 648, 2.
 Spinacia an seutlomalachum 778,
 I.
 Spiræa quid 68, 2. 546, 2.
 Spitame quid 89, 1.
Σπαλήνων 614, 1.
 Spodias 138, 2.
 Spondyla bestiola radicem nul-
 lam intactam relinquit 1112,
 2.
 Spondylis an vermis genus 1116,
 2.
 Belgis **een tot** dictus ibid.
Σπινδύλων quid 260, 2.
 Spondylion an panax Hercu-
 leum 1075, 1.
 Ejus descriptio ibid.
 Unde dictum ibid.
Σπυγγῆς qui 416, 2.
 Spongia summam habet siccita-
 tem & raritatem 531, 1.
 Squinanthum 1007, 2.
 Stabulon quid 556, 1,
Σπάχνες quæ nardi pars 1018, 2.
 Stachys unde dicta 671, 2.
 Est duplex ibid.
 Utriusque descriptio ibid.
 Altera non est spacum ibid.
 Spinosa 629, 2.
 Stacte 981, 2.
 Stacte quid 982, 1.
 Unde dicta 983, 2.
 Quomodo sit ibid.
 An styrax liquidus ibid.
 An balsamum novi orbis ibid.
- Stactem expressit Penninus ibid.
Στάδιον tunica recta 1021,
 2.
 Stadium quid 349, 2.
 Stamina quid botanicis 647, 1.
 Staphylini radix an Carota 1120,
 1.
 Staphyloidendrum 58, 2.
 Ejus fructus non constat ex
 carne & semine 8. 1.
 Statii codex corrigitur 387, 1.
 388, 1.
 Statuæ Deorum ex qua materia
 593, 1. 541, 2. 544, 2.
 Quando sudare videntur 541,
 2. 198, 1.
 Statumen quid 535, 2.
Στάθμη 20, 1.
 Stavisagria unde dicta 1140, 1.
 Pedicularia cur dicta ibid.
 Ejus descriptio 1140, 1. 2.
Στέαρ quid 1186, 1.
 Stelephorus an triticum vacci-
 num 853, 2.
 An plantaginis species ibid.
 Stelephorus seu plantago est lan-
 ceolata 843, 2.
Στελεχός quid 144, 1.
 Stella cretica Alpini 681, 2.
 An œnanthe 682, 1.
Στέμφυλα 314, 1.
 Stephani codex corrigitur 253, 1.
 394, 1.
 Stephanon Alexandri 560, 2.
 Stercus quod acrius 111, 1.
 Quod agris optimum 110, 2.
 III. I.
 Stercorationis tempus 941, 1.
 Stercorationis inventor Satur-
 nus 110, 1.
 Stercoratio quæ conveniens 939,
 2.
 Quomodo facit ad agri fertili-
 tatem 946, 2.
 Quibus herbis nocet, aut pro-
 dest 341, 1. 948, 1.
 Sterilitas est defectus sœmina-
 rum 1163, 1.
 Sterilitatis causa ex herbis 1153,
 2.
 Stoebe 545, 2. 547. 2. 600. 1.
 1142, 1.
 Unde dicta 633, 1.
 Folia ejus 48, 2.
 Folia nova autumno emittit
 633, 2.
 Descriptio & usus ibid. 631, 1.
 An phyllanthes 840, 2.
 An hippophaes 631, 1. 463, 2.
 631, 1.

An

I N D E X.

- An phleos ibid. 634, 1. 631, 1.
 Stœbe Dioscoridis est pimpinella
 spinosa 634, 1. 2.
 Stœbe & phleos differunt 634, 1.
 Stœbe Theophrasti an poterion
 ibid. 636, 2.
 Stœchias 369, 1.
 Unde dicta 670, 1. 2.
 Optima quæ 670, 2.
 Ubi nascitur ibid. 671, 1.
 Ejus descriptio 670, 1. 671, 1.
 An onotidis species 670, 2.
 An iphion 669, 2.
 Sœchados insulæ 670, 1.
 Stœchados planta quomodo
 hyeme servatur 671, 1.
 Stibas quid 463, 2. 578, 1.
 Stica quid 789, 2.
 Stirps quædam humilis in India
 mortifera 348, 2.
 Stolones qui 87, 1.
 Stolo quid, unde dictus 72, 2.
 Differt à vivaradice ibid.
 Quomodo plantandus ibid.
 Strabonis codex corrigitur 294,
 1. 350, 1. 21, 2. 240, 1. 426, 1.
 441, 2. 448, 2. 556, 2. 592, 1.
 974, 1. 1030, 1.
 Ejus interpres notatur 218, 1.
 Strabo cum Theophrasto conciliatur 198, 1.
 Cum Dioscoride conciliatur
 102, 2.
 Quando vixit 592, 2.
 Stramonium est species solani
 maniaci 1079, 1. 2.
 Quomodo differt à datura
 1079, 1.
 Ejus descriptio ibid.
 Seminis vis 1079, 2.
 Radicis vis ibid.
 Stratotes descriptio 436, 1.
 Est duplex ibid.
 An radice caret ibid.
 Aquaticus belgicus 436, 2.
 An sit Theophrasti ibid.
 Strobon quid 556, 1.
 Strobolon quid ibid.
 $\Sigma\pi\gamma\gamma\lambda\omega\eta$ quid 448, 2.
 $\Sigma\pi\gamma\gamma\lambda\omega\eta$ quid denotat 917, 1.
 Strumas pellit Xanthium 885, 2.
 Strutia cydonia quæ 77, 1.
 Strutium unde dictum 720, 1.
 Lanas purgat 720, 2.
 An $\chi\mu\epsilon\eta$ ibid.
 An saponaria 722, 1.
 An ptarmica ibid.
 An lutum 722, 2.
 An hydropiper ibid.
 $\Sigma\pi\gamma\gamma\lambda\omega\eta$ solanū cur dictū 1076, 2.
- Stultior Morocho Adag. 380, 2.
 Stupa quid 944, 2.
 $\Sigma\pi\pi\pi\pi\eta\omega\eta$ quid 312, 2.
 $\Sigma\pi\pi\pi\pi\eta\omega\eta$ 832, 1.
 Styrax arbor unde dicta 1029, 2.
 Qualis arbor ibid.
 Cur calamithes dicta ibid.
 Qualis arbor ex Serapione
 1030, 1.
 Qualis recentioribus ibid.
 Quomodo arbor fructu con-
 tumax dicatur 12, 1.
 Styrax succus purus & impurus
 quis 1030, 2.
 Impurus non adulteratur ibid.
 Impurus & non adulteratus
 non differunt ibid.
 $\chi\mu\alpha\lambda\omega\eta$ ibid.
 $\kappa\alpha\lambda\alpha\mu\pi\eta$ 1030, 2. 1031, 1.
 1032, 1.
 $\wedge\sigma\pi\pi\omega\eta$ 1030, 2.
 In granis quis ibid.
 In massa quis ibid.
 Melleus quis ibid.
 $\chi\alpha\theta\omega\eta$ quis ibid.
 Liquidus quis 1031, 1.
 An melleus ibid.
 An stacte 983, 2.
 Ruber quis 1031, 1.
 Pejor quis 1031, 2. 1032, 1.
 Optimus quis 1032, 1.
 Cur calamithes dictus ibid.
 Quomodo adulteratur 1032, 2.
 Quis medicis, quis unguenta-
 riis magis laudatur 1031, 1.
 Styracis lachryma duplex 1030, 1.
 Suber 17, 2. 18, 2. 19, 1. 122, 2.
 Unde dictum 122, 2. 246, 2.
 An fundum petat 519, 1.
 Viride leve est 23, 2.
 Suber angusto folio 248, 1.
 Perpetuo viret 45, 1. 48, 1.
 Detracto cortice non moritur
 503, 2. 504, 1.
 Suberis materies qualis 518, 2.
 Ramis tubercula lignosa inna-
 scuntur 248, 2.
 Folia ubi non decidunt 123, 2.
 Cortex ex quibus constat 10, 2.
 Descriptio 234, 2. 246, 2.
 Duplex cortex 236, 1.
 Triplex cortex 247, 2.
 Succinum an ocymum ad se tra-
 hit 756, 2.
 Succus pinguedine carens an in-
 odoros 967, 1.
 Succus ex radicibus an fructibus
 validior 1039, 2. 1040, 2.
 Succus ex plantis quis optimus
 967, 2.
- Succus acidus, acris, amarus,
 aquosus, dulcis, pinguis, ve-
 nosus, saporatus, 58, 2.
 Succorum differentiæ in plantis
 58, 2. 60, 2.
 Succi radicum sunt efficaciores,
 quam fructus 37, 2.
 Succi ex radicibus 1038, 2. 1030,
 2.
 Ex radicibus collectio quando
 ibid. 1040, 1.
 Ex fructibus collectio quando
 ibid.
 è caule collectio quando 1040,
 1.
 Ex foliis collectio quando
 1039, 2.
 Aquei collectio quando ibid.
 Lactuosi ex herbis collectio
 quando, & ex quibus 1038,
 2. 1039, 2.
 Collectio quot modis sit ibid.
 Qui concrescunt vel non con-
 crescent ibid.
 Humidi quomodo debite ser-
 vantur 1040, 1.
 Aut fluxiles reponuntur, aut
 igne siccati 1039, 2.
 Succi diversitas saporis facit di-
 scrimen in fructu 60, 1.
 Sues splenetici fiunt, & ejus cura
 408, 2.
 Sub mandragora dormire Adag.
 584, 2.
 Sublicæ ex abiete ineptæ, ex ro-
 bore præstantes 530, 1. 531, 1.
 Suffruticis definitio 11, 1. 12, 2.
 13, 1. 545, 2.
 Distinctio ab herba 12, 2.
 Suffrutices qui culturam non ad-
 mittunt 14, 2.
 Quomodo nascuntur 74, 2.
 Qui perpetuo virent 44-45. 46.
 Bifariam dividuntur 643, 2.
 Magis sylvestres quam urbani
 545, 2.
 Aculeati & earum differentiæ
 ibid.
 Non aculeati ibid.
 Suffruticum genera sunt multa
 546, 2.
 Suidæ error 434, 2. 475, 2. 317, 2.
 562, 2. 788, 2. 790, 2.
 Suidæ codex corrigitur 27, 2. 152,
 2. 179, 2. 231, 1. 239, 2. 380, 2.
 382, 2. 756, 1. 934, 1.
 Sultanus Cambayæ veneno edu-
 catus, homines sputo enecat
 357, 1.
 Sumach 272, 2.

I N D E X.

- Ejus historia 273, 2.
 Supinum quid 50, 1. 52, 1.
 Surculosa quæ 742, 1.
 Surculus quid 4, 2. 5, 1. 546, 1.
 Surculi definitio ibid.
 Surculus novus quis 68, 1.
 Surnach radix venerem potenter
 excitat 1169, 2. 1170, 1.
 Surus quid 5, 1.
 Συκαμινός unde nomen accepit
 400, 1.
 Συκαμινώδες in queru quid 145, 1.
 Συκη unde dictum 381, 2.
 Multa significat 382, 1.
 Quid Hippocrati 400, 1.
 Συκομορός 287, 1.
 Cum epitheto quid 288, 2.
 Sine epitheto quid ibid.
 Unde dicta 289, 1.
 Mori fructus cur non profert
 ibid.
 Ex caudice fructum fert 285, 2.
 Cur ex caudice fructum fert
 289, 1.
 Verberibus lacerata magis
 fructifera 289, 2. 290, 2.
 Ex ramis infertis nascitur 290,
 1.
 Antiquissima fit ibid.
 Est ceronia ficus ibid.
 An odorem malum reddat
 ibid.
 Ubi nascitur 290, 2.
 Quoties fructum in anno pro-
 ducit ibid.
 Sycomorus in qua latuit B. Vir-
 go Maria, cum filio loiram
 Herodis fugiens 290, 1.
 Sycomorus es, objicitur Syllæ
 imperatori, & ejus interpre-
 tatio 288, 2.
 Sycomori descriptio 289, 2. 291,
 1.
 Liquor quando colligitur 290,
 2.
 Lignum in fundo siccatur 285,
 2. 291, 1.
 Sycomori lignum viride fundum
 petit 291, 1.
 Lignum siccatum innatet ibid.
 Fructus quomodo citius ma-
 turescit 285, 1. 290, 1.
 Sycophanta quis 381, 1. 2.
 Sylva 26, 1.
 Sylva aspera ibid.
 Sylva enata in Cyrena ex pluvia
 119, 2.
 Symphonia Plinii an blitum ma-
 culatum 746, 1.
 An herba papagalli 746, 2.
- Sympytum petræum non est
 bugula 677, 2.
 Ejus folia non sunt origano si-
 milia 728, 1.
 Syriaca radicula tingit genas 720.
 1.
 An gingidium 720, 2.
 Syria reseniferis arboribus caret
 972, 2. 974, 2.
 Syria cava quæ regio 101, 2.
 Syricus color 329, 1.
 Σύριξ quid 478, 1.
 Syringia 477, 2. 478, 1.
 Syringa cœrulea non est ostris
 177, 2.
 Syssyringium particulare quid ha-
 bet 877, 2.
 Unde dictum 880, 1.
 Ejus descriptio ibid.
- T.
- T**abaxir quid 481, 1. 2.
 Tabellæ pictoriæ unde fiunt
 159, 2. 162, 1.
 Talea quid 73, 1.
 Quomodo serenda ibid. 88, 2.
 Differt à clava, surculo, & ra-
 mo 73, 1.
 Erecta quæ 88, 2.
 Talla quid 786, 1.
 Tamalapatri descriptio 1035, 1.
 Tamalapatri ramuli an cinnamo-
 num 998, 2.
 An cinnamonum mentitum
 ibid.
 Tamarice unde dicta 410, 1.
 Quot genera ibid. 1. 2.
 An sterelis ibid.
 Descriptio 410, 2.
 Usus ibid.
 Folia 52, 2.
 Tamaricis lignum ubi validum
 528, 2.
 Tamariscus 122, 2. 124, 2.
 Est perpetuo folio 124, 2.
 Tamarindus 93, 1.
 An palmathebaica 102, 2.
 Taraxacum est dens leonis 811, 2.
 Est caput monachi 811, 1. 859,
 2.
 Arabum & intubum sativum
 854, 1.
 Est aphace Theophrasti ibid.
 Ejus descriptio 859, 2.
 Taurus sicui alligatus ferocita-
 tem deponit 543, 1.
 Taxus 122, 2. 124, 2. 138, 2. 161, 2.
 Est perpetuo folio 124, 2.
 Quando fructificat 130, 2.
- Quando germinat ibid.
 An facile afflurgat 141, 1.
 Est perpetua naturæ, & carica
 non sentit 521, 2.
 In Anglia est frequens 176, 2.
 Ejus umbra ubi nocet ibid.
 Ejus umbra est noxia & quan-
 do 177, 1.
 Ad quæ utilis 534, 2.
 Gaudet umbrosis 283, 2.
 Est Apenninum 318, 2.
 Taxi folia necant jumenta 160, 2.
 176, 2.
 Fructus est innoxius 160, 2.
 Descriptio ibid.
 Historia 176, 1.
 Taxo adulteratur cedrus 160, 2.
 Quomodo dignoscitur 176, 2.
 Taxea corona qualis 176, 1.
 Taxum & fraxinum confundit
 Plinius 176, 2.
 Taxum & ulmum confundunt
 Belgæ 176, 1.
 Teda 123, 1. 159, 2. 161, 2. 968, 2.
 Est morbus laricis 169, 2.
 Ubi maxime fit 969, 2.
 Est fax 169, 2.
 Non est pinus ibid.
 Tedam patiuntur omnes rescri-
 feræ arbores 170, 1.
 Tegella quid 463, 2.
 Tegname quid 1035, 2.
 Telephium quid 1097, 2.
 Est illecebra 897, 1.
 Amores amasii indicat 1098, 1.
 An folium papaveris ibid.
 An scorpioides Mathiolus ibid.
 An æclogæ tertium Dioscoridis
 ibid.
 Telyphonum 1136, 2.
 Tempus cædendi ligna 131, 2.
 Tempora anni antiquorum 136,
 1.
 In tres partes dividebantur
 ibid.
 Tempora fermentis quot 733, 1.
 Templum Ephesinæ Dianæ quan-
 do, & à quo combustum 525,
 2. 527, 1.
 Quando ab Alexandro restau-
 ratum 526, 1.
 Quando extrudum ibid. 527, 1.
 Ex qua materia factum 539, 1.
 Templum Salomonis ex qua ma-
 teria 539, 1.
 Tenderé quid 206, 2.
 Tenuc quid 1071, 1.
 Terebra ex quibus fit 583, 2.
 Terebella ex quibus optime fit
 539, 1.

Tere-

I N D E X.

- Terebrum ex qua materia 540, 2.
Terebrum ad lignum eliciendum
543, 1. 544, 1.
Teredo quid 521, 2.
Ligna quæ in mari putrescunt
eredit ibid.
Terfer tuberis genus 32, 1.
Ejus descriptio ibid.
Terrena loca privatim quid se-
runt 452, 2.
Sub quibus aqua latet 468, 2.
Terra culta plus humoris habet
378, 1.
Sylvestris minus ibid.
Terra Judæa unde falsa 101, 2.
Terra felicissima quæ 369, 1.
Quæ naturalis frugi 370, 2.
Quæ diserta dicitur 596, 2.
Quæ stercoreatione eget 110,
1.
Terra conveniens unicuique tri-
buatur plantæ 85, 2. 87, 1.
Terra omnis non est omnium
plantarum ferax 284, 2.
Terra familiare semper producit
germen 118, 2.
Terra quæ celerius producit fru-
menta 790, 2.
Testiculi canis radix 34, 1.
Sacerdotis radix ibid.
Facultates 1153, 2.
Descriptio ibid.
Testudo vypera devorata origa-
no restituitur 563, 1.
Teucrium pratense 1061, 1.
Teucrium chamedriis 1060, 2.
Τεύλων unde dictum 777, 2.
Thalietri descriptio 799, 1.
Unde dictum 799, 2.
Θάμνος quid proprie 11, 1.
Cultu evadit arbor ibid.
Thapsia unde dicta 1061, 2.
Tollit fugillata 1105, 1.
Carotæ effigie 1062, 1.
Clusii an sceli peloponense
1126, 1.
Quomodo antiquitus secunda
1041, 2.
Thapsiam colligendi noxa 1041,
2. 1042, 1.
Thapsiæ descriptio 1061, 2.
Facultates 1053, 2.
Succus quomodo colligitur
1062, 1.
Vis purgatrix noxia 1062, 2.
Thapsus & thapsia differunt
1061, 1.
Thapsus lignum an guajacum
1105, 2.
An rubia 1105, 1, 2.
- Thapsus lignum scyticum 1105,
1.
An glycyrrhiza ibid.
Thapsus barbatus cur dicta 849,
1.
Taxus cur dicta ibid.
Candelaria cur dicta ibid.
Thapsi genera quot ibid.
Descriptio 849, 2.
Thasia nux 202, 2.
Unde dicta 203, 1.
Thebæ Boëtiæ quando conditæ
434, 2.
Thelephoni vis adversus scorpio-
nes, & jumenta 1153, 2.
Ejus descriptio ibid. 1156, 2.
Thelephonon scorpion dictum
1161, 1.
Unde dictum ibid.
An aconiti species ibid.
Theocriti scoliaстis error 893,
1.
Interpretis error 552, 1. 580,
1.
Scoliaстes corrigitur 151, 2.
Theombrothium Plinii an blitum
maculatum 746, 1.
An herba papagalli ibid.
Theophrastus quando Aristotelii
successit in schola 526, 1.
596, 2.
Theophrastus quando libros de
historia plantarum scripsit
ibid. 1177, 2.
Theophrastus à contradictione
defenditur 57, 2. 58, 1. 123, 1.
371, 2. 448, 1, 2. 508, 1. 543, 1.
645, 1. 778, 2. 785, 1. 804, 2.
828, 2. 877, 2. 933, 1. 940, 2.
941, 2. 966, 2. 970, 2. 998, 2.
1056, 1. 1161, 1.
Theophrastus & Columella con-
ciliantur 111, 1. 733, 1.
Theophrastus & Dioscorides
conciliantur 79, 1. 243, 1. 298.
2. 302, 2. 305, 2. 412, 1. 467, 1.
623, 1. 638, 2. 709, 1. 741, 1.
863, 1. 808, 2. 999, 2. 1074, 1.
1083, 1. 1101, 1. 1102, 2. 1135,
2. 1156, 2. 1168, 2.
Theophrastus & Diodorus con-
ciliantur 343, 2.
Theophrastus & Aristoteles con-
ciliantur 873, 1.
Theophrastus & Strabo conci-
lianturn 349, 2.
Theophrastus & Galenus conci-
lianturn 1146, 2.
Theophrastus & Nicander conci-
lianturn 747, 1.
- Theophrastus & Vitruvius con-
ciliantur 524, 1.
Theophrastus & Palladius con-
ciliantur 733, 1.
Theophrastus & Cassianus Bassus
conciliantur 733, 1.
Theophrasti modestia 3, 1.
Theophrasti libri Dioscoridi in-
cogniti 810, 1.
Theophrasti codex plurimis lo-
cis corrigitur uti legenti pa-
tet.
Therebinthus 122, 2. 123, 1. 124, 2.
347, 2.
In Caucaso monte nascitur
599, 1.
Quando germinat 130, 2.
Quando fructificat ibid.
Ad quæ utilis 534, 2.
Est perpetuo folio 124, 2.
Est mas & fœmina 223, 2.
Quando cædenda 967, 2.
Vulnerata est fœcundior 505,
2.
Therebinthi materies qualis 517,
2.
Vesiculae lentorem continent
230, 1.
Folia an decidua ibid.
Genera ibid.
Humor 965, 2.
Therebinthi descriptio 223, 1.
Fructus an esui aptus 229, 2.
Differentiæ ibid.
Therebinthina 167, 2.
Ex radicibus elicitor 970, 2.
Optima 971, 1.
Vulgaris ibid.
Veneta ibid.
Cypria ibid.
Thermos unde dictus 926, 2.
Thericlei calices qui 519, 2.
Thesion quæ planta 864, 2.
Thesii radix 854, 2.
Thlapsi unde dictū 767, 1. 768, 1.
Descriptio & genera ibid.
Est *Caveolaris* Hippocratis 768,
1.
Thlapsi Cratevæ an bulbonac
ibid.
An rhaphanus rusticana ibid.
Tholus quid 170, 2.
Thoræ descriptio 1141, 1.
Ejus antidotum 1142, 1.
Thora an aconitum perdalian-
ches 1157, 1.
Thracia pauca odorata fert 1005,
2.
Thrallida an lichnitis 853, 7.
Θερινὴ oliva 313, 2.

I N D E X.

- Θεια seu papaveris flores quomo^{do} minacem strepitum edunt 1098, 1.
 Θειο*fici* folium cui*dictum* 81, 2.
 385, 1.
 Θειδαξ*lactuca sativa* 778, 1.
 Θειδαξ*lactuca sylvestris* 778, 1.
 857, 2.
 Thus unde dictum 976, 1.
 Ubi nascitur 836, 2. 977, 1.
 974, 2.
 Album unde stillat 976, 2.
 Antiquis valde carum 1029, 1.
 Ubi optimum nascitur 977, 2.
 Colligendi modus 978, 1. 975, 2.
 Quod magis purum 975, 2.
 978, 1.
 Quod suavius & melius 975, 2.
 Quomodo deferatur ad alias gentes 978, 2.
 Optimum quod 979, 2.
 Masculum quod 979, 2. 981, 2.
 Mammosum quod 979, 2. 981,
 2.
 Mammosum & masculum an idem ibid.
 Indicum quod 980, 2. 981, 1, 2.
 An in India nascitur 980, 2.
 Orobias quid & unde dictum 981, 1.
 Orobæum quid & unde dictum 981, 2.
 Copicas quid & unde dictum 981, 1.
 Syagrum quid & unde dictum ibid.
 Syagrum est indicum ibid.
 Amomum quid & unde dictum ibid.
 Quacunque forma fingitur 975, 2.
 An adulteratur 981, 2.
 Thus quomodo prodit 973, 2.
 Thus stragonias unde dictum 979, 2. 981, 1.
 Thus quando in sacrificiis adde- bant olim 976, 2.
 Thus & myrrha collectum ad solis dilubrum convehitur 975, 2.
 Thus novellarum arborum can- didius, & minus odoratum 979, 1. 975, 2.
 Thus veterum arborum flavi- dius, & magis odoratum 975, 2. 979, 2.
 Thuris arbor qualis 974, 2.
 Arbor veteribus incognita
 976, 1. 977, 2.
 Arbor duplex 977, 2.
 Arbor una 975, 2. 978, 2.
 Arbor culturam aspernatur 975, 2.
 Arbor qualis secundum veteres ibid.
 Arbor qualis secundum recentiores 979, 1.
 Arbor non est θερόπολις 975,
 559, 2.
 Arbor ex Diodoro 980, 1.
 Arbor an acatæ similis ibid.
 Arbor an therebinthus 975, 2.
 Arbor an ex genere libanotidis, ilicis, aut abietis 979, 1.
 Arbor in quali terra nascitur 980, 1.
 Arbor quando cædenda 967, 2.
 Arbor an culturam patitur ibid.
 Arboris folium & fructus 979, 1.
 Arbores apud Sabæos non cu- stodiri 978, 2. 975, 2.
 Thuris manna quid 981, 2.
 Thuris & myrræ marcandi ra- tio 975, 2.
 Thuris gleba magna 975, 2.
 Thuris tribus digitis simpto sacri- ficabant olim 976, 2.
 Thure an ante excidium Trojæ sacrificatum ibid.
 Thya duas arbores denotat 523,
 1.
 An fabina 523, 2.
 An citrium 523, 1.
 Thyæ descriptio 521, 2.
 Materies est incorruptibilis ibid.
 Materia est præstantissima 516, 1.
 Thya in diliciis Circæ 45, 1.
 Est perpetuo folio 124, 2.
 Quando germinat 130, 2.
 Quando fructificat ibid.
 Montium cacuminibus gau- det 283, 2.
 An fabina cypressi folio 375, 1.
 An abhel Guiljandini 542, 1.
 Thymbra 567, 1.
 Quando provenit 731, 2. 732, 2.
 735, 1.
 Non est polium 735, 2.
 Thymbra & satureia differunt 735, 1.
 Thymbræ semen durius ad per- durandum 795, 2.
 Thymelæa differt à cneoro 456,
 2.
 An cneoron album 561, 2.
 Unde dicta 1184, 2.
- Cur chameleæ dicta ibid.
 Thymelæa descriptio 1185, 2.
 Thymus 19, 2.
 θύμος & θυμὸς differunt 788, 2.
 Thymi duo genera 549, 2.
 Semen ibid.
 Diversæ significationes 566, 2.
 Lignum nephaliū dictum 567, 1.
 Flos 569, 1.
 Thymus unde dicta 566, 2.
 Cephalotes cur dicitur 567, 2.
 Vulgaris 569, 1.
 Ubi plurimum nascitur 322, 2.
 Quando floret 569, 2.
 Quando seritur 682, 2.
 Theophrasti 570, 2.
 Capitata 567, 2. 569, 1.
 Lapidea 417, 2.
 Spicata 567, 2.
 Thymum durius in serpillum de- generat 695, 2.
 Thyon est citrus atlantica 524, 1.
 An recentioribus cognita 525,
 1.
 Non est cedrus major ibid.
 Non est sabina ibid.
 An arbor vitæ ibid.
 An abhel Guiljandini ibid.
 Homeri an citrium 523, 1.
 θύμος odoramenti genus 522, 2.
 Arbor citri ibid.
 An ladanum ibid.
 θυμᾶς 40, 1.
 Thyrsus quid 309, 1.
 θυμωρᾶς radices 26, 2.
 Tiara quid 145, 2.
 Tibiae multiforatiles 232, 1.
 à quibus reperta 628, 1.
 Ex ossibus hinnulorum ibid.
 Quando ineptæ ibid.
 Tibia Afrorum 232, 1.
 Phrygia ibid.
 Tiberius nunquam divus fuit ap- pellatus 173, 1.
 Tiberii inulo medici codex cor- rigitur 963, 2.
 Tignus vel tignum quid 512, 1.
 Tilia 17, 2. 18, 2. 19, 1. 122, 2. 160,
 2. 367, 2. 536, 1.
 Ubi maxime nascitur 123, 1.
 Folia vertit post solsticium 48,
 2.
 Quando germinat 130, 2.
 Quando fructificat ibid.
 Est minus valida 535, 1.
 Est mas & fœmina ibid.
 In quibus differunt ibid.
 Ad quæ utilis 533, 2.
 In Asia vix nascitur 322, 2.

I N D E X.

- Tiliæ folia 48, 2.
 Folia quando se convertere Tithymalus latifolius 1086, 2.
 dicuntur 51, 2.
 Folia mandi possunt, fructus Tithymali genera 1082, 1.
 non 61, 2.
 Flos 160, 2.
 Fructus ibid.
 Descriptio 180, 1. 181, 2.
 Qualis detrahitur cortex 503,
 2. 504, 2.
 Materies qualis 515, 2. 520, 1.
 530, 2. 536, 1.
 Materies quando cædenda
 511, 2. 512, 2.
 Tinctura ex anchusa 835, 1.
 Tinea quid 521, 2.
 Erodit ligna quæ in terra pu-
 tressunt ibid.
 Arcetur cedri oleo 198, 1.
 Tinus est lauri species 826, 2.
 Tipha 17, 2.
 An triticum tipium 956, 2.
 Tipha & zea quando in triticum
 vertuntur 82, 2.
 Tipha & typha differunt 464, 2.
 955, 2.
 Tiphae notæ ex Theophrasto, &
 ex Galeno 955, 2.
 Tipha radix 24, 2.
 Tipium an tussilago 822, 1.
 Tiphyon non est iphyon 669,
 1. 2.
 Tiphion Theophrasti an narcissus
 perficus 877, 2.
 Tithymalus 16, 2. 965, 2. 1070, 2.
 Tithymalus an meconium 1040,
 2.
 Tithymalus mas 1070, 2.
 Myrtites ibid.
 Fœmina seu myrtifolius 1084,
 1.
 Tithymalus unde dictus 1082, 1.
 Lactaria cur dictus ibid.
 Lactuca caprina cur dictus
 ibid.
 Tithymalus myrtifolius seu ca-
 rryites unde dictus 1084, 1.
 Tithymalus myrsinites an pisces
 necat 1085, 1.
 Tithymalus helioscopius unde
 dictus 1085, 1.
 Cicer columbinum cur dictus
 1085, 2.
 Ejus descriptio 1085, 2.
 Tithymalus cyparissius 1085, 2.
 Ejus descriptio 1086, 1.
 Tithymalus arboreus 1086, 2.
 An characias ibid.
 An dendroides myrtifolius Traupalus 138, 2.
 ibid.
- Prosperi Alpini 1086, 2.
 Paralii descriptio ibid.
 Tithymali maris seu caracias de-
 scriptio 1083, 1.
 Ejus genera 1083, 2.
 Succus quando colligitur ibid.
 Succi facultas & exhibendi
 modus ibid.
 Tithymali myrtifolii descriptio
 1084, 1.
 Ejus genera 1084, 2.
 Titulum librorum de Historia
 plantarum servavit Varro
 4, 1.
 Centoz 1116, 2.
 Tordylium seseli creticum 1125,
 2.
 Ejus descriptio ibid.
 Tormentilla unde dicta 1112, 1.
 An pentaphyllum Hipp. ibid.
 Tornatus in navibus ex quibus
 533, 2.
 Torolus 528, 2. 531, 1.
 Tornosol est heliotropium mi-
 nus 892, 2.
 Ejus usus ibid.
 Toxicum unde dictum 175, 2.
 Trabes templi Dianaæ ex qua ma-
 teria 539, 1.
 Tragema quid 96, 2.
 Tegy@ sycus sylvestris cur dicta
 383, 2.
 Tragacantha ubi nascitur 637, 1.
 Quæ optima ibid.
 Vulgaris an legitima ibid.
 Tragium Dioscoridis an fraxi-
 nella 1134, 1.
 Tragopogum unde dictum 815,
 1.
 Ejus descriptio & genera ibid.
 An regina prati ibid.
 Tragopodus berba hirci vocatur
 ibid.
 Tragorigani quot genera 563, 2.
 566, 1.
 Tegy@ quid Dioscoridi 1124, 1.
 Tralliani codex corrigitur 317, 1.
 768, 1.
 Trasi an sit cyperus 451, 2.
 Quid 451, 1.
 An sit sisyrinchium 452, 1.
 An holoconitis Hipp. ibid.
 An mamera ibid.
 An habazelium Arabum ibid.
 2.
 Sambucus aquaticus 284, 2.
- Gaudet umbrosis 283, 2.
 Tribulus ubi provenit 452, 2.
 455, 1.
 Quomodo provenit 453, 2.
 Unde emergit 119, 2.
 Unde dictus 455, 1. 639, 2.
 Tribulus 545, 2. 547, 2. 588, 2.
 600, 1.
 Tribulus Dioscoridis an sit The-
 ophrasti 640, 1.
 Non est carduus stellatus 640,
 1.
 Tribuli historia 453, 2.
 Aquatici descriptio 455, 2.
 Descriptio 630, 2. 639, 2. 640, 2.
 Duo genera 630, 2.
 Tributum capitisi quale 238, 1.
 Census quale ibid.
 Trichomanes descriptio 882, 2.
 Usus ad distillationes urinæ
 878, 2.
 Tricoccum Heliotropium mi-
 nus 892, 2.
 Trifolium 456, 1.
 Trifolium unde dictum 456, 2.
 948, 2.
 Trifolium bulbosum 336, 2.
 Trifolium bituminosum 456, 1.
 Bituminosum simoniacum di-
 ctum 456, 2.
 Ejus folia an loto similia 457, 1.
 An hyacintho similia ibid.
 Ejus descriptio ibid. 2.
 Trifolium pratense an urbana lo-
 tus 905, 1.
 An lotus sylvestris 903, 2.
 Trifolium cochleatum 640, 2.
 Creticum Alpini an corono-
 pus 831, 1.
 Corniculatum 905, 1.
 Trifolii acetosi folia 49, 2.
 Tripete quid 81, 2.
 Tripolium unde dictum 844, 2.
 1174, 1.
 Cur aster marinus dictū 1174,
 2.
 Ad æstimationem facit 1173,
 2.
 An ter colorem quotidie mu-
 tet 1174, 1, 2.
 Tegy@ arboreis 130, 2. 135, 1.
 Triflago 89, 1.
 Triticum 17, 2.
 Unde dictum 934, 2.
 Ex hordeo gignitur 77, 2.
 Quando ferendum 908, 2.
 In lolium transit 81, 2. 82, 2.
 940, 2. 943, 1.
 Pro loci natura maturius me-
 titur 82, 2.

Quot

I N D E X.

- Quot diebus perficitur 912, 2.
Erit mel frugum 883, 2.
Agreste Cereris arte commo-
dius effectum 82, 1.
Vaccinum 938, 1.
 $\Sigma\eta\gamma\gamma\eta\alpha$ s unde dictum 934, 2.
 $\Delta\epsilon\kappa\eta\pi\alpha$ s unde dictum ibid.
 $\Sigma\epsilon\lambda\eta\gamma\sigma\alpha$ s unde dictum ibid.
Tiphinum à tipha 956, 1. 2.
Triticum terra illitum ubi serva-
tur 962, 2.
Quando melius servatur 960,
2.
Quomodo interit 959, 2.
Qualem terram exposcit 953,
2.
Quando degenerat 942, 2.
Sicco solo cur seminandum
939, 2.
Pro soli cœlique ratione de-
generat 936, 1.
Triticum optimum 935, 1.
936, 1.
Zelandicum rubus 936, 1.
Zelandicum degenerat in Ba-
tavicum 950, 1.
Batavicum siligo 936, 1.
Bactrianum an turicum fru-
mentum 936, 2.
Æstivum & hybernum 935, 1.
Hybernum cur præstantius
ibid.
Bimestre, trimestre 932, 2.
Quod ponderosius ibid.
In quibus differt ab hordeo
931, 2.
In Babylonia quomodo abunde
provenit 942, 2.
In Moscovia spatio septem
septimanarum seritur, meti-
tur, & in horreum recondi-
tur 935, 1.
Triticum & hordeum mutantur
82, 2.
Tritici genera 931, 2. 936, 1.
Descriptio ex Theophrasto
934, 2.
Radix 24, 2.
Mutatio in lolium quando
943, 1. 940, 2.
Optimi notæ 936, 2.
Vaccini descriptio 853, 2.
Trogloditæ unde dicti 556, 2.
Troja quando victa 504, 2.
Troxinum an intubum 811, 2.
 $T\beta\epsilon\zeta$ vermis 528, 2.
Tryallis 843, 2.
Tuber an radice caret 24, 2. 25, 2.
An radicibus annumerari de-
beat 27, 1. 33, 2. 34, 2. 36, 2.
 $\Upsilon\delta\eta\eta$ cur dicatur 27, 1.
Callum terræ vocat Plinius
ibid.
Terræ cyclamen 27, 2.
 $\Upsilon\eta\zeta\eta\eta$ Dioscoridi ibid.
Tuberes & tubera differunt 329,
2.
Tuberes arboris fructus 27, 2.
An ziziphi 329, 2.
Tubera quid sunt 27, 1. 2.
An $\alpha\pi\pi\zeta\alpha$ dici possunt 27, 1.
Quales sunt radices ibid.
Terram an findant 27, 2.
Quomodo generentur ibid.
32, 1.
Sunt radices imperfectæ 27, 2.
Tubera in ligno quid 516, 1.
Tubercula lignosa suberis, ramis
innascentia 248, 2.
Tulepa unde dicta 1171, 1.
Venerem excitat ibid.
An satyron erythronion ibid.
An antiquis cognita 1171, 2.
Non servat quotannis candem
elegantiam 1171, 2.
Campensis sive promontorii
bonæ spei 334, 2.
Tuleparum varietas ex satione
707, 1.
Genera 1171, 2.
Tunica recta 1021, 2.
Tunica saccinea ibid.
Tunica herba an vetonica 668,
2.
An polemonium Diosc. ibid.
An armerius 669, 1.
Turbirth adulteratur tarsiæ radice
1187, 2.
Ejus folia ibid.
Unde dictum 1087, 1.
Turcæ cur folia rofarum humi-
jacere non patiuntur 647, 1.
Turcæ boonen 926, 1.
Tussilago unde dicta 877, 1.
Chameleuce cur dicta ibid.
Cur filius ante patrem dictus
821, 2.
An aphia 821, 2.
An tiphyum ibid.
An chameleuce 822, 2.
An caltha ibid.
An florem ferat 877, 1.
Non est tiphyon Theophrasti
876, 1.
Tussilaginis descriptio 876, 2.
Tussilaginis lanugo est ignis ra-
pax 877, 2.
Typha, ejus historia 454, 2.
Ejus descriptio 464, 2.
An sit phleo 465, 1.
Theophrasti & Dioscoridis an-
una ibid.
V Accæ tauros ut admittant
873, 1.
Vaccinium est hyacinthus poë-
tarum 711, 1.
Ab hyacyntho quomodo deri-
vatum ibid.
Non sunt baccæ ligustri 712, 1.
Vaccinii descriptio 258, 1.
Vaccinio tardatur corporis pu-
bertas 711, 1. 2.
Vadum quid 413, 1.
Valeriana 368, 1.
Valeriana major an phy 1025, 1.
Sylvestris major an phy Diosc.
1026, 1.
Valerianæ descriptio 1025, 1.
Flores quomodo cum narcissi-
nis convenient 1026, 1.
Valvæ quid 763, 1.
Valvæ templi Dianæ quantum
temporis reservatæ incorru-
ptæ jacuere 521, 2. 522, 1.
Valvæ cur hyeme connivent
521, 2.
Vari & maculæ faciei tolluntur
345, 1.
Varia scriptio materia 435, 1.
Varro Theophrastum recte in-
tellexit 16, 1.
Varro titulum librorum de hi-
storia plantarum servavit
4, 1.
Varro defenditur 21, 2.
Varro & Aristoteles conciliantur
948, 1.
Varronis lapsus 19, 2. 20, 2.
Codex corrigitur 20, 2. 480, 2.
591, 2. 632, 2. 755, 2. 796, 1.
Vasa ex radicibus coryli 229, 1.
Vasa ex myrica ad splenem 408,
2.
Vasculum in plantis quid 58, 2.
Vates myricæ virgis utebantur
409, 1.
Vaticinia per myraces ramum
fiebant 408, 2.
 $\Upsilon\delta\eta\eta$ tuber 27, 1.
Veel gutta an oreoselinum 808, 2.
Vejovis simulachrum, ex qua
materia factum 527, 1.
Vena tinctoria est chelidonia
452, 2.
Venam an omnes plantæ habent
5, 2.
Vena plantæ diversum suecum
habet 9, 2.

Vcnæ

I N D E X.

- Venæ plantarum cavitatem habent 9, 2.
 Venæ in plantis definitio 8, 2.
 9, 2.
 Venenum quod bestias necat, an tuto ab homine assumitur 1096, 1.
 Venenum an detur quod certo tempore interemit 1141, 1, 2.
 Venenum quod absque ullo dolore obitum infert 1145, 2.
 Venenis an assuescere quis posset 1146, 2.
 Venena quædam celerius, quædam tardius necant 1117, 2.
 Venena quibus maxime nocent 1141, 2.
 Cur odore & sapore non sunt ingrata 1144, 2.
 Venenata animalia fame aut siti non percunt 332, 1.
 Ventus Chelidonia 893, 1.
 Ventus olympias 501, 2.
 Venti ethesy qui 296, 1.
 Quando flant ibid.
 Ventorum descriptiones 502, 1.
 Venerem an quædam stimulant 1172, 1.
 Venus cluacina quæ 378, 2.
 Ver nuntiat viola 696, 1.
 Ver Græcorum quando incipit 136, 1.
 Duos menses non explet ibid.
 Antiquorum Græcorum 149, 1.
 Veratrum 367, 2.
 Veratrum vulgare est helleborus Theophrasti 1065, 2.
 An Dioscoridis ibid.
 Unde dictum 1064, 1.
 Veratri noxæ & remedium in colligendo 1041, 2.
 Verbascum sylvestre 852, 1.
 Salviæ folio ibid.
 Lichnitis ibid.
 Omne non est spicatum 850, 2.
 Cur φλομός dicitur ibid.
 Verbena quid 616, 1.
 Verbena lanugena 335, 1.
 Vergiliarum ortus 149, 1.
 Vermis inutatio in aliud animal, an maneat vermis 83, 1.
 Vermiculos abigunt polii folia 48, 2.
 Vermis in mispilo 191, 2.
 In forbo ibid.
 Vermis ipsi viti noxam adfert 501, 1.
 Vermis in lignis quomodo generetur 522, 2.
 Vermis in albucō 865, 2.
 Quando crescit 866, 2.
 Vermes arborum quando fiunt 498, 2.
 Vermes quæ ligna non erodant 522, 2.
 Vermiculatio morbus arboris 498, 2.
 Quæ arbores eam sentiunt 500, 1.
 Vermilioen unde dictum 237, 2.
 Vernilago 588, 2.
 Vernix 197, 1.
 Veronica maris descriptio 673, 2.
 Fœminæ descriptio 674, 1.
 Veronica ad alyssi historiam non est referenda ibid.
 Est betonica altera Æginetæ 673, 2.
 Hierobotane cur dicitur 456, 1.
 Verruca in queru 42, 2.
 Verrucaria an coronopus 832, 1.
 Est heliotropium minus 892, 2.
 Ejus descriptio ibid.
 Verticillum quid 260, 2.
 Vesicaria quid & unde dicta 1076, 2, 1077, 1.
 Vesicaria Halecacabum 817, 1.
 Vesicaria 1117, 2.
 Vesiculæ therebinthi lentorem continent 230, 1.
 Vestes à tineis præservare 48, 2.
 322, 2. 324, 1, 2. 324, 2. 1178, 2.
 Vestes fimbriatae 26, 2.
 Vestes quomodo mundantur 631, 2.
 Vestes in Oriente ex lanagine acanthi fiunt 616, 1.
 Veteres stilo in cera scribebant 742, 1. 751, 2.
 Veronica coronaria 668, 2.
 An tunica herba ibid.
 Agrestis 669, 1.
 Τχεων Menestor ὄπη vocat 62.
 Alii in quibusdam ὄπη in quibusdam δάκρυον 6. 2. 7. 2. 8. 2.
 Τχεωτης quid 61, 1.
 Viburna rosa quid 647, 2.
 Vincetoxicci radices aduersus malifica 1132, 1.
 Vincetoxicum unde dictum 1139, 1.
 An apocymon 1139, 2.
 Vinea quando fodienda 111, 2.
 Vingum sub terra fructum parit 2, 2.
 An radix 33, 2. 34, 2. 36, 2.
 Vinofus color 241, 2. 988, 2.
- Vinum colorare 207, 2.
 Vinum an aquam admistam habet 274, 2. 279, 1.
 Vinum ne acescat 631, 1.
 Post vitem innotuit 433, 1.
 è celte non est durabile 321, 2.
 325, 1.
 è loti fructu 324, 1. 331, 2.
 Ex oryza 363, 1.
 è siliqua 293, 1.
 Anchusatum 835, 1.
 Andræum 808, 2.
 Crucinum 388, 1.
 Myrtleum 378, 1.
 Myrtleum quomodo fit 379, 1.
 Palmeum 101, 2.
 Vinum cur cicutaæ antidotum 1146, 2.
 Vinum quod sterilitatem mulieribus adfert 1172, 2.
 Vinum quod abortum facit ibid. 1172, 2.
 Vinum quod somnum facit ibid. 1167, 2.
 Vinum quod viros infanos, mulieres steriles reddit 1167, 2.
 Vinum quod vigilantissimos facit ibid.
 Viola 545, 2.
 Cur coronis addita 653, 1.
 Unde dicta 561, 1. 2. 652, 1.
 Ebrietatem discutit 652, 2.
 Prima ver nuntiat 696, 1.
 Violæ differentiæ 644, 2.
 Folia quomodo differunt ibid.
 Ætas 679, 2.
 Violarum genera 652, 1.
 Violæ comparatur virginitas 653, 1.
 Viola alba 678, 2.
 Assurgens 651, 2.
 Bicolor 651, 1.
 Flammea 679, 2. 699, 2.
 Leucoion 428, 1.
 Lutea 696, 2.
 Marina an rapa sylvestris 773, 2.
 Marinæ descriptio ibid.
 Matronalis an bulbosæ 877, 2.
 878, 1.
 Nigra jonia dicta 826, 2.
 Nigræ descriptio 652, 1. 653, 1.
 Nigræ genera 653, 2.
 Tricolor 651, 1. 699, 2.
 Virginiana 366, 2.
 Virga aurea Virginiana 365, 2.
 Pastoris 417, 1.
 Janalis 259, 1.
 Sanguinea, an ornus fœmina 134, 1. 192, 1.

I N D E X.

- Sanguineæ descriptio 193, 1.
194, 2.
Virgilii locus explicatur 74.88. 1.
— 129, 1. 396, 1. 1114, 1.
Virgilii error 357, 2.
Virgilii codex corrigitur 377, 2.
575, 2.
Virginitas comparatur lilio 654,
2.
Comparatur violæ 653, 1.
Viri æstate seigniores ad venerem
843, 2.
Viscaria an armerius flos 669, 1.
Viscœl erupt 768, 1.
Viscus è robore 146, 2.
In oxycedro 199, 1.
In ilice non nascitur 240, 2.
241, 1.
In oleis oleam perdit 315, 2.
316, 1.
è fructibus sebesten 317, 1.
Ex agrifolio 326, 2.
Vita soldonella sustineri potest
775, 1.
Vitalba est atragena 544, 1.
Vita aquatilium plantarum est
brevior 489, 2. 490, 2.
Sylvestrium æqualis 489, 2.
Urbanarum differt ibid.
Urbanarum an sylvestrium
longior ibid.
Vitex 19, 2. 536, 1.
Viticis pro ratione culturæ va-
rietas 10, 2.
Flos 64, 2.
Duo genera 250, 2. 264, 1. 265,
2.
Genera 248, 2.
Vitiæ genera 937, 2.
Vitia an aphaca 950, 2. 951, 1.
Unde dicta ibid.
Ejus descriptio ibid.
Vitis 17, 2. 19, 1. 42, 1. 368, 2. 540,
2.
Vitis annua eget putatione 94, 2.
110, 2. 92, 2.
Ante vinum nota fuit 433, 2.
Quomodo colenda 493, 2.
Fertilis minus durabilis 490, 2.
492, 2.
Novella propter fertilitatem
interit 494, 2.
Sterelis quomodo curetur
497, 2. 93, 2. 112, 1.
Læditur à brassica 506, 2. 769, 1.
Læditur à lauro 506, 2.
Læditur à rhaphano 510, 2.
769, 1.
Pro telluris varietate variat
85, 1. 86, 2.
Quæ folia non amittit 14, 2.
45, 2.
Quomodo provenit 70, 2.
Fructum absque foliis pro-
duxit 80, 2. 81, 2.
Ex eodem racemo albos & ni-
gros acinos profert 80, 2.
Helvola quæ ibid.
Helvola ubi præstantissima
81, 1.
Helvola aliquando albam, ali-
quando nigram fert uvam
ibid.
Capnea, vel fumida quæ 81, 1, 2.
Idæ phalacris dicta 248, 2. 250,
1.
Idæ descriptio 248, 2.
Idea non est uva ursi 258, 1.
Idea non est vaccinium ru-
brum ibid.
Hederacea indica 364, 1.
Marina 404, 2.
Semper vivers 423, 2.
Syderata 497, 1.
Vites quædam amputatæ adeo
ramescunt ut nihil ferant 78,
2.
Neglectæ uvas ferunt ibid.
In India 347, 2.
Quomodo longævæ 490, 2.
Steriles quomodo fiunt 497,
1, 2.
Quibus ex causis steriles fiunt
497, 2.
Rhyadæ quæ vocantur 498, 1.
Quomodo curantur ibid.
Vitis cortex 19, 1.
Medulla 23, 2.
Folia 48, 2. 49, 2. 52, 2. 54, 2.
Flos 62, 2. 60, 2.
Flos est magis muscosus quam
lanuginosus 62, 1.
Genus quod fructum perfice-
re nequit 65, 2.
Claviculæ 95, 1.
Hirculatio quid 497, 2. 494, 2.
Roratio quid 497, 2. 494, 2.
Morbi 109, 2. 494, 2. 497, 1.
Vitis lachryma 962, 2. 967, 2.
Syderata quomodo curetur
497, 1.
Odium cum brassica 510, 2.
774, 2.
Materies qualis 518, 2.
Materies quæ minus fructifi-
cat est solidior 521, 2.
Lignum an durabile 526, 2.
Folia in agro elephantino non
decidunt 14, 2.
Viti capriolus proprium 6, 2.
Præ cæteris debetur putatio
92, 2.
Fessio accessoria 110, 1.
Qualis detrahitur cortex 503,
2. 504, 2.
Vitium morbi ex quibus causis
497, 2. 498, 1.
Sterilitas soli sœcunditas 497,
2.
Vitalba unde dicta 1187, 1.
Vitis sylvestris 1178, 2.
Ejus radix quamdiu durat
1112, 2.
Vitrum herba 558, 1.
Ejus duæ species ibid.
Vitris conficiendis cinis filicis
idoneus 1168, 1.
Vitreus color 724, 1.
Vitrago 747, 1.
Vitraria cur parietaria dicta 816,
1.
Vitruvii codex corrigitur 198, 2.
524, 1. 536, 1. 578, 2. 722, 2.
723, 2.
Vitruvii error 162, 2. 166, 2. 523,
1.
Vitruvius defenditur 524, 1.
Vitruvius & Theophrastus con-
ciliantur 524, 1.
Vivi radix quid 72, 1.
Quomodo à matre avelli de-
bet ibid.
Quomodo dicatur 86, 1.
Winterani cortex an costus
1036, 2.
Witte pap quomodo fit 360, 1.
Witte rospwpmen 318, 2.
T'λημα 24, 2. 25, 1. 26, 1.
Ulmariæ descriptio 818, 1.
Unde dicta ibid.
Ulmus 122, 2. 123, 1. 138, 2. 368, 2.
964, 2.
Quando germinat 130, 2.
Quando folia vertit 49, 2.
Est ppenboom 318, 1.
Prostrata sponte restituta 506,
2.
Validissima 533, 2. 535, 1.
In aëre diuturnior manet 521,
1.
Ad quæ utilis 543, 2.
Ulmi folia 49, 2.
Duo genera 214, 2. 215, 1.
Descriptio ibid.
Semen famera 215, 1.
Materies qualis 518, 2. 520, 2.
537, 1.
Quando cædenda 511, 2.
Cardines ex ea fiunt 520, 2.
Umbilicus quid veteribus 898, 2.
Marinus

I N D E X.

- In fructu quid 66, I.
 Plantæ 93, I.
 Marinus 460, 2.
 Unedo 17, 2, 19, I.
 Fructus arbuti 18, I, 19, I.
 Unde dicta 242, I, 2.
 Non est adrachne 245, I.
 Unguis quid botanicis 647, I.
 Unguentarius quis 1026, 2.
 Unguentum ex quibus fit ibid.
 Unicaules plantæ quæ 819, 2.
 Volva 28, 2.
 Volucres sanat laurus 186, 2.
 Volumen unde dictum 435, I.
 Voluptas assiduitate fastidium
parit 1031, I, 2.
 Volvax animal uvas prærodens
501, I.
 Volucra uvas præredit ibid.
 Urbanus quid 121, I.
 Uredo arborum 499, 2.
 Urina ova quæ 57, I.
 Urinæ distillationi usus fidiculæ
878, 2.
 Item usus trichomanes ibid.
Drouwen distel 616, I.
 Ursocaria cur parietaria dicta
816, I.
 Urtica 547, 2.
 Urticæ folia 26, 2, 53, I.
 Genera 815, 2.
 Urtica acalaphe cur dicta 815,
I.
 'Acynsic dicta 815, 2.
 Unde dicta ibid.
 Leviter tractata urit, duriuscu-
le minus ibid.
 Frigus ingens latens habet
ibid.
 Febris ardorem quomodo ex-
tinguit ibid.
 Recens salutem aut mortem
ægri indicat ibid.
 Urtica galeopsis unde nomen
816, I.
 Ejus descriptio ibid.
 An scrophularia ibid.
 Mortua maculata ibid.
 Utricaria 336, I.
 Uva amomi 1015, I.
 Uva taminea 1140, I.
 Uva *yavvnia* quæ 79, I.
- Cur mitius castigentur qui eas
prædantur à Platone ibid.
 uva ignobilis quæ Theophrasto
ibid.
 uva helvolæ 569, I.
 uva succus vinosus 60, 2.
 uva species rara visu 77, I.
 uva pubescentes quæ 134, 2, I.
 uva ursi descriptio 258, I.
 uvas quæ animalia nocent 501, I.
 uvula lauri quid 145, I.
 uvularia 254, 2, 255, 2, 256, I.
 Ejus descriptio 255, 2.
 Vulpinæ caudæ descriptio 849, 2.
- X.
- Ξαῖθος* botanicis quis color 194, I.
303, I, 664, I, 2.
 Xanthion pellit strumas 885, 2.
Ξιψιον ejus historia 465, 2.
 Xiphion & gladiolus an idem 708, 2.
Ξηρὴν quid 531, I.
Ξηρὴς non est gladiolus 709, I.
An spatula fœtida 713, I.
 Xylon 228, 2.
 Xylon & gessipium quomodo
differunt 426, 2.
 Xyloglycum quid 293, 2.
Ξεγέρης est hyacinthus poëtarum
712, 2.
 Ejus descriptio ibid. 713, I.
 An spatula fœtida ibid.
 Quomodo antiquitus effodien-
da 1041, 2.
 Cimices necat 713, 2.
 Vnde dicta 713, I.
 Xylobalsamum quid 1003, 2.
 Ejus odor & sapor cur facile
evanescunt ibid.
 Xylocasia quid 986, I.
 Vnde dicta 987, I.
- Z.
- Z**A' quid denotat 771, I.
 Zalsa parilla an sit smilax
aspera 281, I.
 unde dicta 281, I.
 Quæ optima 281, I.
 Zea 953, 2.
- An olyza 957, I.
 An spelta 955, I.
 Dicoccos spelta ibid.
 Monococcus 955, 2.
 Mnesithei 955, I.
 An veteribus cognita 954, 2.
 Vnde dictum 954, 2.
 Cur semen dictum ibid.
 Ejus genera 955, I.
 Zea & tipha quando in triticum
mutantur 82, 2.
 Zedoaria an costi genus 1037, I.
 Avicennæ an antithora 1142, I.
 Zeopyrum quid 934, I.
 Ejus descriptio ibid.
 Zephyrus unde dictus 133, 2.
Zee-groen 724, I.
 Zinziber 369, I.
Vnde dictum 1011, I.
Vbi nascitur ibid.
An sit radix piperis 1184, I.
 Zinziberis descriptio varia 1011,
I.
 Effigies factitia 1011, I, 1012, I.
 Effigies ad vivum 1012, I.
 Siliqua ibid.
 Zizipha terrestris non est ari-
chadna 4, I.
 Ziziphus sylvestris 323, I.
Non est agrifolium ibid.
Est paliurus ibid.
Non est lotus 324, 2, 325, 2.
 Ventriculo & intestinis est
noxius 324, 2.
 Ziziphus an tuber arboris fru-
ctus 329, 2.
 Ziziphus 328, 2.
Alba est olea bohemica 329, 2.
Ejus descriptio ibid.
 Ziziphus rutila 330, I.
An lotus Polybii ibid.
An lotus lotophagica ibid.
Ejus genera & descriptio ibid.
 Zōv plantis non convenit sed
ζῶν 3, 2.
 Zugia 182, 2.
Est acer montana 183, 2.
 Zugis an serpillum vulgare 695,
I.
Vnde dictum 692, I.
 Zūpura fungum cur vocat Nicander 27, 2.

Cicuta vehementer venas mouet. 1146.

Diosc. describit loca, ubi plantae sunt meliori; Theophr. ubi cypraea. 1196.


grana fluitantes. 486. Alni flia ad laetitudinem. 221.


Brunchia ad scrotum. 677.

Aqua destillata ex Lini nibus valde abstergit omnes maculas. 343.

filium facit animosus comedere: 789. illius calor est/velij nostrj, ideo comburat. 792.

acharum parat hincus calix. 484. quibus membris inimicorum. 482. exaltat sibm. 483.





THE
PI

P

