



Plantae Insulae Principis et. S. Thomae.

- Ans. A. *Cyperus sphaacelatus* L
 B. *C. elegans* L
 C. *Simbristylis polymorpha* Bekbr
 No 1. *Cyperus dubius* Benth
 2. *C. compressus* L
 3. *C. rotundus* var *major*
 4. *P. polystachyus* L
 5. *Juncina pubescens* forma. aff. *J. Hildebrandii*
 5^a 5.^c *J. pubescens* L.
 5^b *J. cinerascens* Bekbr
 6. *Simbristylis hispida* Kth
 7. *Cyperus odoratus* L
 8. *C. sphaacelatus* L
 9. *Kyrtzia pumila* var *rigidula* C.B.C. =
 K. rigidula Steud.
 10. *Cyperus sylvicola* n. sp.
 11. *Simbristylis polymorpha* Bekbr
 11^a " "
 12. *Arundinum* sp. indet.
 13. *Dracaena* aff. *Aubryana*. et *humilis*.
 14. *Costa* indet.
 15. *Angrococcum Neuriquezianum* n. sp.
 16. *Pradinocion* sp. *flexuosa* n. gen. et sp.
 No. no. *Stenotococcus Danellii* Beauv.
 Sine numero. "Puccinia" = *Alpinia Africana* n. sp.

Pradinocion gen. nov.

Herba habitu *Angroeci*, folia tenuiora, inaequilatera
 nec biloba, Racemus per vagina folii inferioris
 protensus erectus flexuosus pauciflorus. Flores in cymis
Angroeci similibus albi, Sepala et petala subsimilia
 lanceolata acuta, laevellum longe calcaratum. Columna
 gracilis basi teres, clauata. Staminodium marginatum
 profundum, Stigma profunde longa. Pollinia 2, Caudicula
 singula, glandula unica robusta.



Cyperus sylvicola n. sp.

Herba validula viridis, rhizomate brevi

Folia late linearia erecta acuta costibus elevatis
in dorso ~~trēs~~, 45 cm longa 15 cm lata

Culmus triqueter angulis acutis ~~30~~ 30 cm altus

Bracteae 5 lineares acuminate foliis simile
valde inaequales. Umbella ^{magna} decomposita

radiis ad 11. ramosa, Radix basi
repens longa, Spiculae congestae
in apicibus ramulorum. ut in Scirpus sylvaticus

Glucae obovatae mucronatae mucrone breviter
recurvae dorso viridi, margine pallido, rufes
cente. Stamina ~~tria~~ trifida profunde

lucida rufes. Caryopsis ovata basi angustata
lenticularis, rufescens, ^{filamentis} filamentis ad dorsum

posita. Bracteis viridis margine alata
~~et~~ et alis scaris

S^r Thomas Quinton

Planta haec ~~est~~ est habitus Scirpus sylvaticus
simulata, et est valde affinis S. hylaeo

Presl. Angolensi Haec autem habet Caryopsis
triquetrum, stylis triflorum



Alpinia africana n. sp.

Folium oblongum ellipticum, lamina
 ultra 60 cm longum ad 16 in diametro
 subobtusum. Scapus altus validus lignosus
 paniculatus pubescens, pubescentia brevior
 usque ad inflorescentiam vaginatus, Ramis
^{vel. patuli} erectis ^{plures} brevibus. Longi pubescentes biflori
 Flores ^{plures} 5 cm longi, erecti. Bractea brevis
 ovatae obtusae. Calyx tenuis lanceolata
 fissa perne ad basin pubescens, 3 cm longa
 Corollae tubus brevis, Lacinia postica elliptica
 cordata, pubescens obtusa 4 cm longa, 1 1/2 cm
 lata, lacinae lanceolatae obtusae 3 1/2 cm longae
 visae 1 cm latae verruculosae. Stamen laciniis
 brevius, filamentis circiter 2 cm longo, libero
 connectivo verruculoso, anthera lineari 1/2 cm
 longa, loculis angustis acutis.
 Stylus gracilis, triquetris, angulis anticis acutis
 postica obtusa, stigma clavatum triangulare, triquetrum

Ino. J. Thomas ad Angolanos, leg. F. Quinteros

R. flescucosa n. sp.

Herba faciei Aegroeci, caulē brevi vix 1 cm
 longo, erecto, radicibus caulis longis, Folia
 3. oblonga inaequilatera vix biloba, 5 cm
 longa, 2 cm lata, basi breviter subpetiolata
 Scapus 11 cm. gracilis, e basi caulis ^{ascendens} vix
 flescucosus, vaginis 1-2 ad basim ~~sertis~~; Bractea
 ovata obtusae ~~amplex~~ cymbiformes, 4 mm
 longae remotae, Internodi 1 cm longi. Flores
 mediocres albi, pedicellis gracillimis $1\frac{1}{2}$ cm
 longis, patentibus. ~~Ala~~ Sepala et petala reflexa
 similia aequalia lanceolata acuta, 1 cm longa
 Labelium oblongum lanceolatum acutum
 Calcare gracili $1\frac{1}{2}$ cm longo. Columna
 gracilis longa $\frac{3}{4}$ cm, inferne teres, stigma
 profunda, Clivandrium profundum, marginibus
 integris, Anthera galeata obtusa, unilocularis
 Pollinia 2, globosa flavola, caudicula singula
 locata brevis, glandula globosa albo viscida
 Postellum bifidum laciniis crassiusculis, brevibus

Haec planta affinis est Aegroeco: differet
 autem in columna, ^{quae est} caud brevis crassa ut
 in Aegroeco sed gracili ^{et} teres, superne dilatata
 fossa stigmatica longa profunda, Clivandrii
 marginata, margine postico elevato,